

PRODUCT CATALOG

ROOF DRAINAGE SYSTEMS



MOISTURE PROTECTION



VENTILATION PRODUCTS



OUTDOOR LIVING PRODUCTS



SNOW RETENTION SYSTEMS



DIAMOND Gutter Shield™

BEFORE



Brown



White

- Pressure Fit Design Makes Installation Easy - No Fasteners Needed
- Easy to Handle 3 and 4 Foot Sections
- Compatible with Asphalt, Tile or Metal Roof System
- Drip Lip Reduces Tiger Striping
- Tested to Handle the Heaviest of Rainfall - Up to 40" per Hour

- Aluminum with High Impact Powder Coat Finish Reduces Scratching and Cracking
- Available in White, Brown and Black
- Available for 5" and 6" K Style Gutters




For more product details see page 27.
Scan this tag to view product video.

For more information on the Diamond Gutter Shield visit DiamondGutterShield.com



Roof Drainage Systems

Page 5



- | | | | | |
|-------------------------------|---------------------------------|-----------------------------------|----------------------------|--------------------------|
| 5 Special Order Gutter Colors | 19 Hangers K Style | 24 Downspout Fasteners | 29 Co-Polymer Gutter Guard | 31 Vinyl Dripper Flipper |
| 6 Gutter Systems | 21 Hangers Half Round | 26 Gutter Protection | 29 Leaf Guard Plus | 32 Splash Blocks |
| 6 K Style Aluminum | 22 Shanks K Style & Half Round | 27 Gutter Guards | 29 Leaf Guard | 32 SuperScoop™ |
| 8 Half Round Aluminum | 22 Strainers | 27 Gutter Shingle | 29 Gusher Guard | 32 Gutter Wedge |
| 9 K Style Galvanized | 23 Outlets K Style & Half Round | 27 Diamond Gutter Shield | 30 Accessories | |
| 10 Half Round Galvanized | 23 Eave Boxes | 27 Gutter Cover | 30 Extend-A-Spout™ | |
| 12 Freedom Gray Copper | 24 Funnels | 27 Snap-In Filter | 30 Catch-A-Raindrop™ | |
| 14 K Style Copper | 24 Downspout Tubes & Extensions | 28 Snap-In Guard | 30 Rodent Guard | |
| 15 Half Round Copper | | 28 Lock-On Gutter Guard | 31 Flex-A-Spout® | |
| 16 Vinyl Traditional | | 28 Hinged Gutter Guard | 31 Flex Elbow™ | |
| 17 Vinyl Contemporary | | 29 Hinged Half Round Gutter Guard | 31 Clip-Up Diverter Kit | |

Moisture Protection

Page 33



- | | | | | |
|----------------------------|-------------------------------------|--------------------------------------|-------------------------------|------------------------------|
| 33 Roof Edge & Trim | 45 Window & Door Caps | 49 Area Walls, Covers & Grates | 51 Trim Coil Painted Aluminum | 56 Miscellaneous Flashing |
| 33 A, B & C Style | 46 West Coast Roof Edges | 49 Galvanized Area Walls | 52 Deck Ledger Flashing | 56 Galvanized Ridge Roll Cap |
| 36 D & E Style | 47 Grip Edge | 49 Galvanized Mini Area Walls | 53 Roll Valley Flashing | 56 Aluminum Flashing Angle |
| 37 Overhanging Roof Edge | 47 Drip Edge | 49 Plastic Cover | 53 Copper Flashing | 56 Aluminum Rain Diverter |
| 37 F Style Vinyl | 48 Flashing Angle | 49 Translucent Cover | 54 Step Flashing | 56 Galvanized Kick Out |
| 38 F Style Metal | 49 Synthetic Roofing Underlayment | 50 Modular Egress Window Well System | 54 Termite Shield | 56 Diverter |
| 42 Vinyl Drip Edge | 49 Pro-Master Roof Shield UDL™ | 50 Galvanized Egress Area Wall | 55 Corner Flex Flashing | |
| 43 ODE Style | 49 Pro-Master Roof Shield UDL Plus™ | 50 Escape Ladder | 55 W Valley | |
| 43 FHA | | | 55 Z Bar | |
| 43 Miscellaneous Roof Edge | | | | |
| 43 H Style | | | | |
| 44 Vented Roof Edge | | | | |
| 44 Roof Apron | | | | |
| 44 Brick Molding | | | | |

Ventilation Products

Page 57



- | | |
|--|------------------------|
| 57 Pro-Master Ridge Vent™ | 59 Soffit Hanger |
| 57 AccuVent® | 59 J Channel |
| 57 Soffit & Fascia | 59 F Channel |
| 57 T4 Aluminum Soffit | 59 Crown Moulding |
| 58 D6 Aluminum Soffit | 59 Double Channel |
| 58 12"x12' Aluminum Soffit | 60 Fascia Aluminum 12' |
| 58 16"x12' Center Vent 4 Panel Aluminum Soffit | |
| 58 10"x12' QLoc Alum. Soffit | |
| 58 15"x12' QLoc Alum. Soffit | |
| 58 12"x12' TrapLok Alum. Soffit | |

Outdoor Living Products

Page 61



- | |
|---|
| 61 DrySnap® Underdecking Rain Carrying System |
| 62 Vinyl Railing Systems |
| 62 Railing Kits |
| 63 Posts, Caps & Trim |
| 64 Optional Accessories |
| 65 Continuous Handrail Systems |
| 65 Continuous Handrail Components |

Snow Retention Systems

Page 66



- | |
|--|
| 67 Snow Guards for Shingle, Slate, Synthetic Slate, Tile & Shake Roofing |
| 68 Snow Guards for Metal Roofs |
| 71 Aluminum Snow Panels |

Miscellaneous

Page 72



- | |
|--|
| 72 Corner Bead |
| 73 Caulks & Sealants |
| 73 Touch-Up Paint |
| 74 Rivets, Nails & Screws |
| 75 Metal Bender & Blades, Wall Ties & Utility Sheet, Utility Trim & Starter Strip, Siding Corners, Wind T Bracing & Joist Bridging |

Point of Purchase

Page 76



Appendix

Page A1





Amerimax Home Products, Lancaster, PA

Lancaster, Pennsylvania

450 Richardson Drive, Lancaster, PA 17603
Phone (800) 347-2586 (717) 299-3711
Fax (717) 299-2194

Grand Prairie, Texas

3125 N. Great Southwest Parkway, Suite 300
Grand Prairie, TX 75050
Phone (800) 726-4578 (972) 522-0148
Fax (888) 258-3298

Sacramento, California

1835 Diesel Drive, Sacramento, CA 95838
Phone (800) 733-5684
Fax (877) 268-9328

Duluth, Georgia

4455 River Green Parkway, Duluth, GA 30096
Phone (800) 735-6493 (678) 377-0835
Fax (678) 377-0825

Nappanee, Indiana

2341 E. Market Street, Nappanee, IN 46550
Phone (800) 729-5369
Fax (888) 396-2689

Barrie, Ontario, Canada

26 Lorena Street, Barrie, Ontario, Canada L4N 4P4
Phone (800) 461-5706
Fax (800) 731-0385



© Shipping Locations

Amerimax Home Products, Inc.

Roof Drainage Systems



Full Range of Special Order Gutter Colors Available!

*Call Amerimax for Details

5" Gutter System	
Gutter: Sold 10' sections (5")	24002 ___*
Downspout: 10' (2"x3")	24019 ___*
Inside Miter: (5")	5INM ___*
Outside Miter: (5")	5OTM ___*
Right End: (5")	5ENR ___*
Left End: (5")	5ENL ___*
Seamer: 2 per pack with 1 oz. SeamerMate® (Available in 5" only)	25008 ___*
Hidden Hanger with Hex Head Screw: (5")	210121
Hidden Hanger with Roof Strap: 4 pack, nails included. Use when no Fascia Board available (5" only)	21030PK
Unpainted Outlet: (2"x3")***	21051
"A" Style Elbow: (2"x3")	3AE ___*
"B" Style Elbow: (2"x3")	3BE ___*
Downspout Bands	DPB ___*
SeamerMate® 10 oz. Cartridge	85148 or 85150**
Sheet Metal Screws: 8 Per Pack	85354 ___*
Touch-Up Paint: 12 oz. can, 12 Per Carton	13TUP ___*

6" Gutter System	
Gutter: Sold 10' sections (6")	44002 ___*
Downspout: 10' (3"x4")	44011 ___*
Inside Strip Miter: (6")	6ISM ___*
Outside Strip Miter: (6")	6OSM ___*
Right End: (6")	6ENR ___*
Left End: (6")	6ENL ___*
Hidden Hanger with Hex Head Screw: (6")	47814
Unpainted Outlet: (3"x4")	47251
"A" Style Elbow: (3"x4")	4AE ___*
"B" Style Elbow: (3"x4")	4BE ___*
Downspout Bands	DPB ___*
SeamerMate® 10 oz. Cartridge	85148 or 85150**
Sheet Metal Screws: 8 Per Pack	85354 ___*
Touch-Up Paint: 12 oz. can, 12 Per Carton	13TUP ___*

Important Notes:

Allow two week lead time
10' Gutter Sections available only
See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

**85150 meets California VOC Requirements. Neither SeamerMate® product is visible after installation

End with Drop not available in this program

***21051 Unpainted Outlets are not visible after installation

6" Seamer not available. Installation requires overlap of gutter, screw, and seal with SeamerMate®

Color Fandecks Available



K Style Aluminum Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

	Description	Carton Qty	Unpainted	White 30°	Brown	Clay	High Gloss White 80°	Royal Brown
	Straight Back Gutter **10'							
	5" .0185"	10	-	26006	2400619	2400644	-	-
	5" .0255"	10	-	26002	2400219	-	-	-
	5" .0305"	10	-	26003	-	-	-	-
	6" .0255"	5	-	46002	-	-	-	-
	Hem Back Gutter **10'							
	5" .027"	5	-	-	-	-	K10HG5	K10BR5
	5" .032"	10	-	-	-	-	K10325	K10B35
	6" .032"	5	-	-	-	-	K10326	K10BR6
	Miter, Inside							
	5"	20	-	-	-	-	5INM80W	5INMRB
	5"	10	-	27201	2520119	2500144	-	-
	Miter, Outside							
	5"	20	-	-	-	-	5OTM80W	5OTMRB
	5"	10	-	27202	2520219	2500244	-	-
	Strip Miter, Inside							
	5"	20	-	-	-	-	5ISM80W	5ISMRB
	Bay Strip Miter, Inside							
	5"	20	-	-	-	-	5ISMBG80W	-
	Strip Miter, Outside							
	5"	20	-	-	-	-	5ISM80W	5ISMRB
	Bay Strip Miter, Outside							
	5"	20	-	-	-	-	5OSMBG80W	-
	End w/Drop 5"							
	2" x 3" Drop	12	-	27010	2501019	2501044	-	-
	2" x 3" Drop	20	-	-	-	-	KEPHG5	KEPBR5
	End w/Drop 6"							
	3" x 4" Drop	12	-	27080	2508019	-	-	-
	Left End							
	5"	50	-	27005	-	-	5ENL80W	5ENLRB
	5"	15	-	27205	2520519	2500544	-	-
	Right End							
	5"	50	-	27006	-	-	5ENR80W	5ENRRB
	5"	15	-	27206	2520619	2500644	-	-
	Connector							
	5"	50	-	-	-	-	KSJHG5	KSJBR5
	Seamer with 1 oz. SeamerMate®							
	5", 2/bag	25	-	27008	2500819	2500844	-	-
	6", 2/bag	25	-	47008	-	-	-	-

K Style Aluminum Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

	Description	Carton Qty	Unpainted	White 30°	Brown	Clay	High Gloss White 80°	Royal Brown
	Hidden Hanger w/Screw							
	5" - Aluminum	100	210121	-	-	-	-	-
	5" - Aluminum	250	21812	-	-	-	-	-
	See pages 19-22 for more hanger choices.							
	Gutter Screws and Ferrules 10/Pack							
	7" - Galvanized	25 pks	-	33047PK	3304719PK	-	-	-
	Gutter Screws only Bulk							
	7" - Galvanized	250	-	33246	-	-	-	-
	See pages 19-22 for more hanger choices.							
	Downspout 10' Square Corrugated							
	2" x 3" .0145"	10	DSSCPMF3	26010	2401019	2401044	-	-
	2" x 3" .0175"	10	-	26011	2401119	-	-	-
	2" x 3" .019"	10	-	-	-	-	24019020	24019015
	2" x 3" .024"	10	-	DSSC24H3	DSSC24B3	-	-	-
	3" x 4" .0175"	10	-	46011	4401119	-	-	-
	Downspout Extension 15"							
	2" x 3"	24	-	27075	2507519	2507544	-	-
	3" x 4"	14	-	47075	4507519	-	-	-
	Downspout Band • Fits 2" x 3" and 3" x 4" downspouts							
		200	-	27229	2522919	-	-	-
		100	-	-	-	2502944	DPB80W	DPBRB
	Front Elbow "A" (75 degree) Square Corrugated							
	2" x 3"	30	-	27064	-	-	3AE80W	3AERB
	2" x 3"	15	-	27264	2526419	2506444	-	-
	3" x 4"	10	-	47264	4526419	-	-	-
	3" x 4"	30	-	-	-	-	4AE80W	-
	3" x 4"	15	-	-	-	-	-	4AERB
	Front Elbow "A" (90 degree) Square Corrugated							
	2" x 3"	30	-	-	-	-	3AES80W90	3AESRB90
	3" x 4"	15	-	-	-	-	4AES80W90	4AESRB90
	Front Elbow "A" (60 degree) Square Corrugated							
	2" x 3"	30	-	-	-	-	3AES80W60	3AESRB60
	3" x 4"	30	-	-	-	-	4AES80W60	4AESRB60
	Side Elbow "B" (75 degree) Square Corrugated							
	2" x 3"	30	-	27065	-	-	3BE80W	3BERB
	2" x 3"	15	-	27265	2526519	2506544	-	-
	3" x 4"	15	-	-	-	-	4BE80W	4BERB
	3" x 4"	10	-	47265	4526519	-	-	-
	Side Elbow "B" (90 degree) Square Corrugated							
	2" x 3"	30	-	-	-	-	3BES80W90	3BESRB90
	3" x 4"	30	-	-	-	-	4BES80W90	4BESRB90
	Side Elbow "B" (60 degree) Square Corrugated							
	2" x 3"	30	-	-	-	-	3BES80W60	3BESRB60
	3" x 4"	30	-	-	-	-	4BES80W60	4BESRB60
	Vinyl Transition Elbow • Transitions from "A" style to "B" style • Can be used with metal and vinyl gutter systems.							
	2" x 3"	30	-	37064	-	-	-	-
	3" x 4"	12	-	37065	-	-	-	-

Half Round Aluminum Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

Description	Carton Qty	Unpainted	White 30°	High Gloss White 80°	Royal Brown
Single Bead **10'					
5" .027"	10	-	-	L10HG5	L10BR5
5" .032"	10	-	-	L10325	L10B35
6" .032"	10	-	-	L10HG6	L10BR6
Miter, Inside					
5"	20	-	-	LISHG5	LISBA5
6"	20	-	-	LISHG6	LISBA6
Miter, Outside					
5"	20	-	-	LOSHG5	LOSBA5
6"	20	-	-	LOSHG6	LOSBA6
End w/Outlet					
5"	20	-	-	DEPHG5	DEPBA5
"B" Wide Flange Outlet					
3" - Aluminum	50	-	-	WBOHG3	WBOBA3
4" - Aluminum	50	-	-	WBOHG4	WBOBA4
"B" Outlet					
3" - Aluminum	50	-	-	RBOHG3	RBOBA3
4" - Aluminum	50	-	-	RBOHG4	RBOBA4
End					
5"	50	-	-	CENHG5	CENBA5
6"	50	-	-	CENHG6	CENBA6
Connector					
5"	50	-	-	SCNHG5	SCNBA5
6"	50	-	-	SCNHG6	SCNBA6
#10 Combination Circle & Shank w/Spring Clip					
5" - Aluminum	50	-	-	CBCHG5	CBCBA5
6" - Aluminum	50	-	-	CBCHG6	CBCBA6
Spring Clip for #10 Combination Hanger					
One Size - Aluminum	50	-	-	SPCLWA	SPCLBA
See pages 19-22 for more hanger choices.					
Shank for Adjustable Pitch Rafters					
#30 - Aluminum	50	-	-	SHHG30	SHBA30
See pages 19-22 for more hanger choices.					
Downspout 10' Plain Round					
3" .019"	10	-	DSPRPSW3	DSPRPHG3	DSPRPBR3
3" .024"	10	DSPRPMF3	-	-	-
4" .019"	10	DSPRPMF4	DSPRPSW4	DSPRPHG4	DSPRPBR4
4" .024"	10	DSPRPMF4	-	DSPRPHG4	DSPRPBR4
Downspout 10' Round Corrugated					
3" .019" Individually UPC'd	10	-	-	46026	-
3" .019"	10	-	-	DSRCPHG3	DSRCPBR3
4" .024" Individually UPC'd	10	-	-	46018	-
4" .024"	10	-	-	DSRCPHG4	DSRCPBR4

Half Round Aluminum Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

Description	Carton Qty	White 30°	High Gloss White 80°	Royal Brown
Elbow (75 degree) Plain Round (Also available in 90, 60, 45 & 30 degrees)				
3" .019"	30	-	PR3HG3	PR3BR3
4" .024"	30	-	PR3HG4	PR3BR4
Elbow (75 degree) Round Corrugated (Also available in 90, 60, 45 & 30 degrees)				
3" .019"	30	-	RC3HG3	RC3BR3
3" .019"	15	-	473741	-
4" .024"	8	-	470781	-
4" .024"	30	-	RC3HG4	RC3BR4

K Style Galvanized Gutter

Description	Carton Qty	White 30°	Brown	Unpainted
Gutter **10'				
4" 32 ga.	10	18007	1800719	14007
5" 32 ga.	10	32007	3200719	28008
5" 30 ga.	10	-	-	28007
Miter, Inside				
4"	10	19201	1920119	15201
5"	10	33201	3320119	29201
Miter, Outside				
4"	10	19202	1920219	15202
5"	10	33202	3320219	29202
End w/Drop				
4"	12	19010	1901019	15010
5"	12	33010	3301019	29010
Left End				
4" 28 ga.	50	19005	-	-
4" 28 ga.	15	-	1920519	15205
5" 28 ga.	50	33005	-	-
5" 28 ga.	-	-	3320519	29205
Right End				
4" 28 ga.	50	19006	-	-
4" 28 ga.	15	-	1920619	15206
5" 28 ga.	50	33006	-	-
5" 28 ga.	15	-	3320619	29206
Connector				
4"	30	19209	1920919	15209
5"	30	33209	3320919	29209
Seamer with 1 oz. SeamerMate®				
4"	25	19008	1900819	15008
5"	25	33008	3300819	29008

K Style Galvanized Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"


Description	Carton Qty	White 30°	Brown	Unpainted
 Snap Lok Bracket (Call for information on top bars, snap straps, and cross bars) 5" Bulk - Galvanized	50	33022	3302219	29022
See pages 19-22 for more hanger choices.				
 Fascia Bracket, 4/pack 5" - Galvanized 4" - Galvanized	12 pks 12 pks	33020PK 19020	3302019PK 1902019	29020PK 15020
See pages 19-22 for more hanger choices.				
 Downspout 10' Square Corrugated 2" x 2" 26 ga. 2" x 3" 32 ga. 2" x 3" 30 ga. 3" x 4" 30 ga.	10 10 10 10	- 32014 -	- 3201419 -	DSSCP262 28014 28017 48014
 Downspout Band • Fits 2" x 3" and 3" x 4" downspouts	200 100	33229 -	3322919 -	- 29029
 Front "A" Elbow (75 degree) Square Corrugated (Also available in 90, 60, 45 & 30 degrees) 2" x 3" 2" x 3" 2" x 3" 3" x 4" 3" x 4"	30 30 15 30 20	33064 - - - 51064	- - 3326419 -	- SA63P3 29264 SA63P4 49064
 Side "B" Elbow (75 degree) Square Corrugated (Also available in 90, 60, 45 & 30 degrees) 2" x 3" 2" x 3" 2" x 3" 3" x 4" 3" x 4"	30 30 15 20 30	33065 - - 51065 -	- - 3326519 -	- SB63P3 29265 49065 SB63P4
 Vinyl Transition Elbow • Transitions from "A" style to "B" style • Can be used with metal and vinyl gutter systems. 2" x 3" 3" x 4"	30 12	37064 37065	- -	- -

Half Round Galvanized Gutter

Description	Carton Qty	Unpainted
 5" Single Bead **10' 26 ga. 28 ga.	5 10	L10265 L10285
 6" Single Bead **10' 26 ga.	10	L10266BX
 Miter, Inside 5" 6"	20 20	LIS265 LIS266
 Miter, Outside 5" 6"	20 20	LOS265 LOS266

Half Round Galvanized Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

Description	Pack Qty.	Unpainted
 End w/Outlet 5" 6"	20 20	DE2653 DE2664
 "B" Outlet, Wide Flange 3"	50	RBOMF3
 WB Pop Rivet Style Outlet 3"	50	WBP263
 "B" Style Outlet 3" 4" 5" 6"	50 50 25 25	RBO263 RBO264 RBO265 RBO266
 End 5" 28 ga. 6" 28 ga.	50 50	CEN265 CEN266
 Connector 5" 6"	50 50	SCN265 SCN266
 #10 Combination Circle & Shank w/Spring Clip 5" - Galvanized 6" - Galvanized	50 50	CCS105 CCS106
 Spring Clip for #10 Combination Hanger One Size - Galvanized See pages 19-22 for more hanger choices.	50	SPCLGL
 Rival Strap Hanger 5" - Galvanized 6" - Galvanized See pages 19-22 for more hanger choices.	50 50	RIVGL5 RIVGL6
 Downspout Plain Round 2" 26 ga. 2" 26 ga. 3" 26 ga. 3" 28 ga. 4" 28 ga.	10 5 5 5 5	42016 DSPRP262 DSPRP263BX DSPRP283BX DSPRP284BX
 Downspout 10' Round Corrugated 2" 26 ga. 3" 26 ga. 3" 28 ga. 4" 26 ga. 4" 28 ga.	5 6 6 5 5	DSRCP262 40016 DSRCP283 DSRCP264BX DSRCP284
 Elbow (75 degree) Plain Round (Also available in 90, 60, 45 & 30 degrees) 2" 26 ga. 3" 26 ga. 4" 26 ga.	20 20 20	PR63P2 PR63P3 PR63P4
 Elbow (75 degree) Round Corrugated (Also available in 90, 60, 45 & 30 degrees) 2" 26 ga. 3" 26 ga. 3" 26 ga. 4" 26 ga.	20 15 20 20	RC63P2 410651 RC63P3 RC63P4
 Downspout Band Round 2"	100	43029


FreedomGray® Copper

ROOF DRAINAGE SYSTEMS


*Durable, Attractive and Environmentally Friendly
FreedomGray® Copper Half Round Gutter Systems
Complement any Architectural Style!*

- ◆ Environmentally friendly alternative to lead-coated copper
- ◆ Attractive earth-tone gray finish
- ◆ Durable & corrosion resistant
- ◆ Revere copper substrate per ASTM B370
- ◆ Easily cut, bent, formed and installed with same tools as used for copper
- ◆ Solders using readily available materials
- ◆ 25 year warranty

Half Round Gutter Systems & Accessories



	Description	Sizes / Notes
1	Half Round Gutter 5" & 6"	5" & 6"
2	Plain Round or Round Corr. Downspout	3" & 4"
3	"C" End	5" & 6"
4	End with Drop	5" & 6"
5	90 Degree Box Miter Outside & Inside	5" & 6"
6	Elbows – Plain Round or Round Corr.	3" & 4" (75 Degrees or 45 Degrees)
7	"B" Outlet Tube	3" & 4" (4" is TZ Coated)
8	#1 Shank Plate	TZ Coated / For Fascia Mounting
9	#12 Shank	TZ Coated / For Nailing to Sheeting
10	#30 Shank	TZ Coated / Adjustable Pitch for Angled End Rafters & Fascia
11	Stamped Circle	5" & 6" / TZ Coated
12	#10 - 24 x 3/4" Nut & Bolt for Shanks	Zinc Plated Steel
13	Spring Clip	Stainless Steel Clip
14	Hinged Downspout Hook – Plain Round	3" & 4" / Zinc Casting
15	Hinged Downspout Hook – Round Corr.	3" & 4" / Zinc Casting
16	Rack & Key Set	TZ Coated



For More Information, Call Amerimax 800-347-2586

FreedomGray® Copper
ROOF DRAINAGE SYSTEMS

K Style Copper Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

	Description	Carton Qty	Copper 16 oz			
	Straight Back Gutter **10'					
	5"	5	K10CP5			
	6"	5	K10CP6			
	Bay Miter, Inside					
	5"	20	KISCP5			
	6"	20	KISCP6			
	Bay Strip Miter, Inside					
	5"	20	5ISMBC			
	6"	20	6ISMBC			
	Bay Miter, Outside					
	5"	20	KOSCP5			
	6"	20	KOSCP6			
	Bay Strip Miter, Outside					
	5"	20	5OSMBC			
	6"	20	6OSMBC			
	K Oval Outlet with Lock-in					
	2"	50	OKOCP3			
	3"	50	OKOCP4			
	Left End					
	5"	50	ENLCP5			
	6"	50	ENLCP6			
	Right End					
	5"	50	ENRCP5			
	6"	50	ENRCP6			
	Connector					
	5"	50	KSJCP5			
	K Hidden Hanger w/Screw (Straight Back)					
	5"	100	HIDC5S			
	6"	75	HIDC6S			
See pages 19-22 for more hanger choices.						
	Premium K Fascia Hanger w/Crossbar					
	5"	50	5PFCCP			
	6"	50	6PFCCP			
See pages 19-22 for more hanger choices.						
	Downspout Square Corrugated					
	2" x 3"	5	DSSCPCP3			
	3" x 4"	5	DSSCPCP4			
	Downspout Plain Square					
	2" x 3"	5	PSCP23			
	3" x 4"	5	PSCP34			
			75 degree	90 degree	60 degree	45 degree
	Front "A" Elbow Square Corrugated					
	2" x 3"	10	SA3CP3	SA4CP3	SA2CP3	SA1CP3
	3" x 4"	10	SA3CP4	SA4CP4	SA2CP4	SA1CP4
	Side "B" Elbow Square Corrugated					
	2" x 3"	10	SB3CP3	SB4CP3	SB2CP3	SB1CP3
	3" x 4"	10	SB3CP4	SB4CP4	SB2CP4	SB1CP4



Half Round Copper Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

	Description	Carton Qty	Copper 16 oz			
	Single Bead **10'					
	5"	5	L10CP5EA			
	6"	5	L10CP6			
	Double Bead **10'					
	5"	5	L10DC5			
	6"	5	L10DC6			
	Miter, Inside					
	5"	20	LISCP5			
	6"	20	LISCP6			
	Miter, Outside					
	5"	20	LOSCP5			
	6"	20	LOSCP6			
	End w/Drop					
	5"	20	DECP53			
	"B" Outlet					
	3"	50	RBOCP3			
	4"	50	RBOCP4			
	End					
	5"	50	CENCP5			
	6"	50	CENCP6			
	Connector					
	5"	50	SCNCP5			
	6"	50	SCNCP6			
	#10 Combination Circle & Shank w/Spring Clip					
	5"	50	CCC105			
	6"	50	CCC106			
See pages 19-22 for more hanger choices.						
	Rival Strap Hanger					
	5"	50	RIVCP5			
	6"	50	RIVCP6			
See pages 19-22 for more hanger choices.						
	Downspout Plain Round					
	2"	5	DSPRPCP2			
	3"	5	DSPRPCP3			
	4"	5	DSPRPCP4			
	Downspout Round Corrugated					
	3"	5	DSRCPCP3			
	4"	5	DSRCPCP4			
			75 degree	90 degree	60 degree	45 degree
	Elbow Plain Round					
	2"	20	PR3CP2	PR4CP2	-	PR1CP2
	3"	10	PR3CP3	PR4CP3	PR2CP3	SA1CP4
	4"	10	PR3CP4	-	-	PR1CP4
	Elbow Round Corrugated					
	3"	10	RC3CP3	RC4CP3	RC2CP3	RC1CP3
	4"	10	RC3CP4	-	-	-



Roof Drainage Systems

Roof Drainage Systems

Traditional Style Vinyl Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

	Description	Carton Qty	White	Brown
	Gutter 10' 5"	8	M0573	M1573
	Inside Corner	4	M0504	M1504
	Outside Corner	4	M0503	M1503
	End w/ Outlet 2" x 3" Outlet 2" x 3" Outlet 3" x 4" Outlet	6 18 6	M0506-6 M0506 Call for Details 800.347.2586	M1506 - -
	End (Pair)	14	M0611	M1611
	Connector 2 pc	50	M0608	M1608
	Hidden Hook 1 pc	200	M0622B	M1622B
	Hidden Hook 2 pc	50	M0521	M1521
	Downspout 10' 2" x 3" 3" x 4"	6 6	M0593 M0793	M1593 -
	Downspout Extension 15" 2" x 3" 3" x 4"	9 14	M0594 M0794	- -

Colors shown are for reference only.

Traditional Style Vinyl Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

	Description	Carton Qty	White	Brown
	Connector 2" x 3" 3" x 4"	20 16	M0623 M0723	M1623 -
	Diverter	20	M0642	M1642
	Downspout Band • Plastic bands for use with metal or vinyl downspouts 2" x 3" - Plastic 3" x 4" - Plastic	60 24	M0634 39029	M1634 3902919
	"A" Elbow 2" x 3" 2" x 3" 3" x 4"	20 60 24	M0627 M0627B M0727	M1627 M1627B -
	"B" Elbow 2" x 3" 3" x 4"	20 24	M0628 M0728	M1628 -
	Transition Elbow • Transitions from "A" style to "B" style • Can be used with metal and vinyl gutter systems. 2" x 3" 3" x 4"	30 12	37064 37065	- -

NEW Product

Contemporary Style Vinyl Gutter

	Description	Carton Qty	White	Brown
	Gutter 10' 4" 5"	8 8	T0473 T0573	T1473 T1573
	Vinyl Corner Contemporary 4" 5"	10 10	T0403 T0503	T1403 T1503
	End w/Outlet 4" 5"	10 10	T0409 T0509	T1409 T1509
	Center Outlet 4" 5"	10 10	T0406 T0506	T1406 T1506

Colors shown are for reference only.

Roof Drainage Systems

Roof Drainage Systems

Contemporary Style Vinyl Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

	Description	Carton Qty	White	Brown	
	End				
	4"	20	T0411	T1411	
	5"	20	T0511	T1511	
	Connector				
	4"	25	T0405	T1405	
	5"	25	T0505	T1505	
	Hidden Hook				
5"	50	T0520	T1520		
	Hidden Hook 2 pc.				
	4"	50	T0421	T1421	
	Exterior Hook				
	4"	50	T0419	T1419	
	5"	50	T0519	T1519	
	2" Square Downspout 10'	6	T0583	T1583	
	2" Square Downspout Connector	10	T0523	T1523	
	2" Square Diverter	20	T0642	T1642	
	2" Square Downspout Clip	30	T0534	T1534	
	Square Elbow	20	T0525	T1525	

Colors shown are for reference only.

Hangers - K Style

See page A4 in the Appendix for information on popular hanger choices.

	Description	Carton Qty	White 30°	Brown	High Gloss White 80°	Royal Brown	Unpainted	Copper
	#40 K Hanger w/Strap							
	5" - Aluminum	50	-	-	40KWA5	40BRA5	-	-
	6" - Aluminum	50	-	-	40KWA6	40BRA6	-	-
	5" - Galvanized	50	40KGL5	-	-	-	-	-
	6" - Galvanized	50	40KGL6	-	-	-	-	-
	5" - Copper	50	-	-	-	-	-	40KCP5
	6" - Copper	50	-	-	-	-	-	40KCP6
	#41 K Hanger w/Strap							
	5" - Aluminum	50	-	-	41KWA5	41BRA5	-	-
	6" - Aluminum	50	-	-	41KWA5	41BRA5	-	-
	5" - Copper	50	-	-	-	-	-	41KCP5
	6" - Copper	50	-	-	-	-	-	41KCP5
	Premium K Fascia Hanger w/Crossbar							
	5" - Aluminum	50	-	-	5PFHGC	5PFBRC	-	-
	6" - Aluminum	50	-	-	6PFHGC	6PFBRC	-	-
	5" - Copper	50	-	-	-	-	-	5PFCCP
	6" - Copper	50	-	-	-	-	-	6PFCCP
	Fascia Strap Hanger							
5" - Aluminum	100	-	-	-	-	21028	-	
	Fascia Bracket							
5", 4/pack - Aluminum	12 pks	25020PK	2502019	-	-	-	-	
	Fascia Bracket, 4/pack							
	5" - Galvanized	12 pks	33020PK	3302019PK	-	-	29020PK	-
	4" - Galvanized	12 pks	19020	1902019	-	-	15020	-
	Snap Lok Bracket (Call for information on top bars, snap straps, and cross bars)							
	5" Bulk - Galvanized	50	33022	3302219	-	-	29022	-
	Snap Lok Bracket (Call for information on top bars, snap straps, and cross bars)							
	5" Bulk - Aluminum	50	25022	2502219	-	-	-	-
	5", 4/pack - Aluminum	12 pks	25024	2502419	-	-	-	-
	Hidden Hanger w/Screw							
	5" - Aluminum	100	-	-	-	-	210121	-
	5" - Aluminum	250	-	-	-	-	21812	-
	4" - Galvanized	125	-	-	-	-	150121	-
	K Hidden Hanger w/Screw (Hem Back)							
	5" - Aluminum	100	-	-	-	-	HID5SH	-
	6" - Aluminum	75	-	-	-	-	HID6SH	-
	K Hidden Hanger w/Screw (Straight Back)							
	5" - Aluminum	100	-	-	-	-	HID5S	-
	6" - Aluminum	75	-	-	-	-	HID6S	-
	6" - Aluminum	50	-	-	-	-	47814	-
	5" - Copper	100	-	-	-	-	-	HIDC5S
	6" - Copper	75	-	-	-	-	-	HIDC6S
	Hidden Hanger							
	5", 10/bag - Aluminum	25 bags	-	-	-	-	21016PK	-
	5", 50/bag - Aluminum	5 bags	-	-	-	-	21018	-
	6" Bulk - Aluminum	50	-	-	-	-	47018	-

Colors shown are for reference only.

Hangers - K Style

See page A4 in the Appendix for information on popular hanger choices.

	Description	Carton Qty	White 30°	Brown	Clay	High Gloss White 80°	Royal Brown	Unpainted	Copper
	K Hidden Hanger Straight or Hem Back								
	5" - Aluminum	100	-	-	-	-	-	HMMF-5-U	-
	6" - Aluminum	100	-	-	-	-	-	HMMF-6	-
	Hidden Hanger w/Roof Strap								
	5", 4/pack - Aluminum	15 bags	-	-	-	-	-	21030PK	-
	4", 4/pack - Galvanized	15 bags	-	-	-	-	-	15030	-
	FF Combo Hanger								
	5" - Aluminum	100	-	-	-	-	-	21027	-
	Strap Hanger								
	5" - Galvanized	100	-	-	-	-	-	29023	-
	K Wrap Around Hanger								
	5" - Aluminum	50	-	-	-	KWHWA5	KWHBR5	-	-
	6" - Aluminum	50	-	-	-	KWHWA6	KWHBR6	-	-
	5" - Copper	50	-	-	-	-	-	-	KWHCP5
	6" - Copper	50	-	-	-	-	-	-	KWHCP6
	Spikes & Ferrules 10/packs Aluminum								
	7" Spikes & 5" Ferrules	25 pks	25043	2504319	2504344	-	-	-	-
	8" Spikes & 6" Ferrules	25 pks	45044	-	-	-	-	-	-
	Spikes & Ferrules 10/packs Galvanized								
	7" Spikes & 5" Ferrules	25 pks	33044	3304419	-	-	-	29044	-
	7" Spikes & 4" Ferrules	25 pks	19044	1904419	-	-	-	15044	-
	Gutter Screws and Ferrules 10/Pack								
	7" - Galvanized	25 pks	33047PK	3304719PK	-	-	-	-	-
	Gutter Screws only Bulk								
	7" - Galvanized	250	33246	-	-	-	-	-	-
	Spikes only								
	7" Bulk - Aluminum	250	25040	2504019	-	-	-	-	-
	7" Bulk - Aluminum	500	-	-	-	SPKWA7	SPKBR7	-	-
	8" Bulk - Aluminum	250	25046	-	-	-	-	-	-
	8" Bulk - Aluminum	500	-	-	-	SPKWA8	SPKBR8	-	-
	7" Bulk - Galvanized	250	33040	3304019	-	-	-	29040	-
	7" 50# Box - Galvanized	1	-	-	-	-	-	29041BX	-
	7" 25# Box - Copper	1	-	-	-	-	-	-	SPKCP7
8" 25# Box - Copper	1	-	-	-	-	-	-	SPKCP8	
	Ferrule								
	5" - Aluminum	100	-	-	-	-	-	FERMF5	-
	6" - Aluminum	100	-	-	-	-	-	FERMF6	-
	4" - Plastic	250	-	-	-	-	-	15060	-
	5" - Plastic	250	-	-	-	-	-	21060	-
	6" - Plastic	500	-	-	-	-	-	47042	-
	5" - Galvanized	100	-	-	-	-	-	FERGL5	-
	6" - Galvanized	100	-	-	-	-	-	FERGL6	-
5" - Copper	100	-	-	-	-	-	-	FERCP5	
6" - Copper	100	-	-	-	-	-	-	FERCP6	

Hangers - Half Round

See page A4 in the Appendix for information on popular hanger choices.

	Description	Carton Qty	High Gloss White 80°	Royal Brown	Unpainted	Copper
	#10 Combination Circle & Shank w/Spring Clip					
	5" - Aluminum	50	CBCHG5	CBCBA5	-	-
	6" - Aluminum	50	CBCHG6	CBCBA6	-	-
	5" - Galvanized	50	-	-	CCS105	-
	6" - Galvanized	50	-	-	CCS106	-
	5" - Copper	50	-	-	-	CCC105
	6" - Copper	50	-	-	-	CCC106
	#10 Circle w/Spring Clip, Nut, & Bolt					
	5" - Aluminum	50	CIRHG5	CIRBA5	-	-
	6" - Aluminum	50	CIRHG6	CIRBA6	-	-
	5" - Galvanized	50	-	-	CIRCS5	-
	6" - Galvanized	50	-	-	CIRCS6	-
	5" - Copper	50	-	-	-	CIRCP5
	6" - Copper	50	-	-	-	CIRCP6
	Spring Clip for #10 Combination Hanger					
	One Size - Aluminum	50	SPCLWA	SPCLBA	-	-
	One Size - Galvanized	50	-	-	SPCLGL	-
	One Size - Brass	50	-	-	SPCLBR	-
	Rival Strap Hanger					
	5" - Aluminum	50	RIVHG5	RIVBA5	-	-
	6" - Aluminum	50	RIVHG6	RIVBA6	-	-
	5" - Galvanized	50	-	-	RIVGL5	-
	6" - Galvanized	50	-	-	RIVGL6	-
	5" - Copper	50	-	-	-	RIVCP5
	6" - Copper	50	-	-	-	RIVCP6
	Regal Bar Hanger					
	5" - Mill Finished Aluminum	50	-	-	REGMF5	-
	6" - Mill Finished Aluminum	50	-	-	REGMF6	-
	5" - Galvanized	50	-	-	REGGL5	-
	6" - Galvanized	50	-	-	REGGL6	-
	5" - Copper	50	-	-	-	REGCP5
	6" - Copper	50	-	-	-	REGCP6



Shanks - K Style & Half Round

Description	Carton Qty	High Gloss White 30°	Royal Brown	Unpainted	Copper
	Nut & Bolt for Shanks #10, 24 thread x 3/4" long				
	Galvanized	50	-	BN-S	-
	Brass	50	-	BN-CP	-
	Shank Plate for Fascia				
	#1 - Aluminum	50	SHHG-1	SHBA-1	SHMF-1
	#1 - Galvanized	50	-	-	SHCS-1
	#1 - Copper	50	-	-	SHCP-1
	Shank for Ogee or Crown Moulding				
	#6 - Aluminum	50	SHHG-6	SHBA-6	-
	#6 - Galvanized	50	SHWS-6	SHBS-6	-
	#6 - Copper	50	-	-	SHCP-6
	Shank for Cornice				
	#8 - Mill Finish Aluminum	50	-	SH-CM8	-
	Shank for Fascia				
	#10 - Galvanized	50	SHWS10	SHBS10	SHCS10
	#10 - Copper	50	-	-	SHCP10
	Shank for Nailing to Exposed Rafter				
	#11 - Aluminum	50	SHHG11	SHBA11	SHCS11
	#11 - Copper	50	-	-	SHCP11
	Shank for Nailing to Sheeting				
	#12 - Aluminum	50	SHBA12	SHBA12	SHMF12
	#12 - Galvanized	50	SHWS12	SHBS12	SHCS12
	#12 - Copper	50	-	-	SHCP12
	#25 - Copper	50	-	-	SHCP25
	Shank for Adjustable Pitch Rafters				
	#30 - Aluminum	50	SHHG30	SHBA30	-
	#30 - Galvanized	50	-	-	SHCS30
	#30 - Copper	50	-	-	SHCP30
	Shank Extension				
	Aluminum	50	SHHGEX	SHBAEX	-
	Copper	50	-	-	SHCPGX

Strainers

Description	Carton Qty	Unpainted	Copper	
	Wire Strainers, Round			
	2" - Galvanized	50	RWSGL2	
	3" - Galvanized	50	RWSGL3	
	4" - Galvanized	50	RWSGL4	
	2" - Aluminum	50	RWSMF2	
	3" - Aluminum	50	RWSMF3	
	4" - Aluminum	50	RWSMF4	
	2" - Copper	50	-	RWSCP2
	3" - Copper	50	-	RWSCP3
	4" - Copper	50	-	RWSCP4
	6" - Copper	50	-	RWSCP6
	Leaf Strainer- Expandable			
	3" - Aluminum	48	21048	
	3" - Aluminum	18	21059	
	4" - Aluminum	24	21248	
	3" - Galvanized	18	29059	
	3" - Galvanized	48	29348	
	4" - Galvanized	48	29448	
	Strainer Plastic	24	85059	

Outlets - K Style & Half Round

Description	Carton Qty	White 30°	High Gloss White 80°	Royal Brown	Unpainted	Copper
	"C" Wide Flange					
	2" x 3" for 5" gutter - Galvanized	30	33051	-	-	29051
	2" x 3" for 4" gutter - Galvanized	30	-	-	-	15051
	"C" Wide Flange					
	2" x 3" - Aluminum	30	25051	-	-	21051
	"K" Oval 3" - Aluminum	50	-	-	-	WKOMF3
	"C" Wide Flange					
	3" x 4" Aluminum	20	-	-	-	47251
	3" x 4" Galvanized	50	-	-	-	49051
	"C" Wide Flange					
	2" x 3" Plastic	30	-	-	-	85051
	"B" Narrow Flange					
	2" x 3" - Galvanized	30	-	-	-	29050
	Round Outlet					
	2" - Galvanized	50	-	-	-	43051
	K Oval Outlet with Lock-in					
	2" - Copper	50	-	-	-	OKOCP3
	3" - Copper	50	-	-	-	OKOCP4
	WB Pop Rivet Style Outlet					
	3" - Galvanized	50	-	-	-	WBP263
	"B" Style Outlet					
	3" - Galvanized	50	-	-	-	RBO263
	4" - Galvanized	50	-	-	-	RBO264
	5" - Galvanized	25	-	-	-	RBO265
	6" - Galvanized	25	-	-	-	RBO266
	"B" Half Round Outlet					
	3" - Aluminum	50	-	RBOHG3	RBOBA3	-
	4" - Aluminum	50	-	RBOHG4	RBOBA4	-
	"B" Outlet					
	3" - Copper	50	-	-	-	RBOCP3
	4" - Copper	50	-	-	-	RBOCP4
	"B" Wide Flange Half Round Outlet					
	3" - Galvanized	50	-	-	-	RBOMF3
	3" - Aluminum	50	-	WBOHG3	WBOBA3	-
	4" - Aluminum	50	-	WBOHG4	WBOBA4	-

Eave Boxes

Description	Carton Qty	White 80° Aluminum	Copper
	Regular (Open)		
	3" x 12"	12	EBWA32
	3" x 16"	12	EBWA36
	4" x 12"	12	EBWA42
	4" x 16"	12	EBWA46
	Closed		
	3" x 16"	12	CBWA36
	4" x 16"	12	CBWA46
	Sloped		
	3" x 16"	12	SBWA36
4" x 16"	12	SBWA46	

Roof Drainage Systems

Roof Drainage Systems

Funnels

	Description	Carton Qty	White 30°	High Gloss White 80°	Brown	Unpainted	Copper
	Vinyl • Connects two downspouts into one 3" x 4"	4	85208	-	85209	-	-
	Oval • Connects two downspouts into one						
	3" - Aluminum	12	-	FUNWA3	FUNBR3	-	-
	4" - Aluminum	12	-	FUNWA4	FUNBR4	-	-
	3" - Galvanized	12	-	-	-	FUNGL3	-
	4" - Galvanized	12	-	-	-	FUNGL4	-
	3" - Copper	12	-	-	-	-	FUNCP3
Square "Y"	2" x 3" - Aluminum	12	SCYLG3	SCYHG3	SCYBR3	-	-
	3" x 4" - Aluminum	12	SCYLG4	SCYHG4	SCYBR4	-	-
Square Cutoff with Diverter	2" x 3" - Aluminum	12	SACLG3	SACWA3	SACBA3	-	-
	3" x 4" - Aluminum	12	SACLG4	SACWA4	SACBA4	-	-

Downspout Tubes & Extensions

	Description	Carton Qty	White 30°	Brown	Clay	High Gloss White 80°	Unpainted	Copper
	Downspout w/Flange							
	2" x 10" - Aluminum	12	-	-	-	DSTWA2	-	-
	3" x 10" - Aluminum	12	-	-	-	DSTWA3	-	-
	4" x 10" - Aluminum	12	-	-	-	DSTWA4	-	-
	2" x 10" - Galvanized	12	-	-	-	-	DSTGL2	-
	3" x 10" - Galvanized	12	-	-	-	-	DSTGL3	-
	4" x 10" - Galvanized	12	-	-	-	-	DSTGL4	-
	2" - Copper	12	-	-	-	-	-	DSTCP2
	3" - Copper	12	-	-	-	-	-	DSTCP3
	4" - Copper	12	-	-	-	-	-	DSTCP4
	Downspout Extension 15"							
	2" x 3" - Aluminum	24	27075	2507519	2507544	-	-	-
	3" x 4" - Aluminum	14	47075	4507519	-	-	-	-
	2" x 3" - Galvanized	24	33075	3307519	-	-	-	-
	2" x 3" - Vinyl	9	M0594	-	-	-	-	-
3" x 4" - Vinyl	5	M0794	-	-	-	-	-	

Downspout Fasteners

	Description	Carton Qty	White	Brown	Clay	Royal Brown	Unpainted	Copper
	#0 Mortar Drive							
	Bronze	50	-	-	-	-	DR-BR0	-
Galvanized	50	-	-	-	-	-	DRCS-0	
	#4 Wood Drive							
	Copper	50	-	-	-	-	-	DRCP-4
Galvanized	50	-	-	-	-	-	DRCS-4	
	#5 Wood Drive	50	-	-	-	-	-	DR-CM5
	#6 Drive							
	Aluminum	50	DRWA-6	-	-	-	DRBRA6	-
	Copper	50	-	-	-	-	-	DRCP-6
Galvanized	50	-	-	-	-	-	DRCS-6	
	Rack and Key							
	Aluminum	50	RAK-WA	-	-	-	RAKBRA	-
	(2/Pack) Aluminum	25	85117	-	-	-	-	-
	Copper	50	-	-	-	-	-	RAK-CP
Galvanized	50	-	-	-	-	-	RAK-CS	
	Key							
	Aluminum (use with Alum. and Steel)	50	-	-	-	-	KEY-MF	-
Bronze (used with Copper)	50	-	-	-	-	-	KEY-BR	

Downspout Fasteners

	Description	Carton Qty	White	Brown	Clay	Royal Brown	Unpainted	Copper
	Universal Conductor Band							
	Aluminum	50	WA12CB	-	-	-	BA12CB	-
	Copper	50	-	-	-	-	-	CP12CB
Galvanized	50	-	-	-	-	-	GA12CB	
	4" Metco Ornamental Band							
	Aluminum	50	METHG4	-	-	-	METBR4	-
	Copper	50	-	-	-	-	-	METCP4
Galvanized	50	-	-	-	-	-	METGA4	
	3" Metco Ornamental Band							
	Aluminum	50	METHG3	-	-	-	METBR3	-
	Copper	50	-	-	-	-	-	METCP3
Galvanized	50	-	-	-	-	-	METGA3	
	Downspout Band • Fits 2" x 3" and 3" x 4" downspouts							
	Aluminum	200	27229	2522919	-	-	-	-
100	-	-	2502944	-	-	-	-	
	Downspout Band • Fits 2" x 3" and 3" x 4" downspouts							
	Galvanized	200	33229	3322919	-	-	-	-
100	-	-	-	-	-	29029	-	
	#31 Pipe Cleat							
	Aluminum	50	PCHG31	-	-	-	PCBR31	-
Copper	50	-	-	-	-	-	PCCP31	
	Conductor Bracket							
	Aluminum	50	3PC30W	-	-	-	3PCRB	-
Copper	50	-	-	-	-	-	3PCC	
	Round 2" Downspout Band							
	Galvanized	100	-	-	-	-	-	43029
	Downspout Band • Plastic bands for use with metal or vinyl downspouts							
	2" x 3" - Plastic	60	M0634	M1634	-	-	-	-
	3" x 4" - Plastic	24	39029	3902919	-	-	-	-
	2" Square Downspout Clip							
	Vinyl	30	T0534	T1534	-	-	-	-
	Round Brick Hook							
	3" - Galvanized	50	BPRWS3	-	-	-	-	BPRGL3
4" - Galvanized	50	BPRWS4	-	-	-	-	BPRGL4	
	Square Brick Hook							
	2" x 3" - Galvanized	50	BPSWS3	-	-	-	-	BPSGL3
3" x 4" - Galvanized	50	BPSWS4	-	-	-	-	BPSGL4	
	Round Wood Hook							
	3" - Galvanized	50	PWHWS3	-	-	-	PBRSH3	PWHGL3
	3" (2/Pack) - Galvanized	12 pks	-	-	-	-	-	85108
	4" - Galvanized	50	PWHWS4	-	-	-	PBRSH4	PWHGL4
4" (2/Pack) - Galvanized	12 pks	85104	-	-	-	-	-	
	Square Wood Hook							
	2" x 3" - Galvanized	50	SSWWS3	-	-	-	-	SSWGL3
	2" x 3" (2/Pack) - Galvanized	12 pks	85121	-	-	-	-	-
3" x 4" - Galvanized	50	SSWWS4	-	-	-	-	SSWGL4	
	Plain Round Hinged Downspout Hook							
	3" - Copper Plated Zinc Alloy	50	-	-	-	-	-	HHPRC3
4" - Copper Plated Zinc Alloy	50	-	-	-	-	-	HHPRC4	
	Round Corrugated Hinged Downspout Hook							
	3" - Copper Plated Zinc Alloy	50	-	-	-	-	-	HHRCC3
4" - Copper Plated Zinc Alloy	50	-	-	-	-	-	HHRCC4	
	Square Wired Wood/Brick Hook							
	2" X 3" - Copper	50	-	-	-	-	-	WFHC23
	3" X 4" - Copper	50	-	-	-	-	-	WFHC34
	Downspout Anchors • Anchors for 2" x 3" downspouts							
	2/bag - Plastic	6 bags	-	-	-	-	-	85210

Gutter Protection

The widest range of products available!

Plastic

Metal



Snap-in Filter

- Fine Mesh Screen
- Fits all Residential Gutters



Snap-in Guard

- High Water flow
- Fits all Residential Gutters



Gutter Guard Roll

- Roll of Filter Material
- Use with Gutter Girders



Gutter Cover

- Solid Heavy Duty PVC
- Fits 4" - 7" systems



*High Debris Filtration
New & Existing Roofs*



*Excellent water flow
New & Existing Roofs*



*Great Value
Easy to Install*

Professional

*Commercial quality
Ideal for New Roofs*



Diamond Gutter Shield



- Solid Expanded Aluminum
- Locks securely into place



Lock-On Gutter Guard

- Heavy Duty Steel Screen
- Easily snaps into position



Hinged Gutter Guard

- Metal Screen with clips
- Affordable, Classic design



Gutter Shingle



- Powder Coated Steel
- Fits 4" - 7" systems

Gutter Guards

Gutter Shingle	Description	Carton Qty	Charcoal	Weather-wood	Copper
	3' x 7 1/8", Steel	20	85246	-	-
	3' x 7 1/8", Steel	20	-	GGSKPC	-
	3' x 7 1/8", Copper	20	-	-	GGSKCP
<ul style="list-style-type: none"> • Fine mesh screen helps block small debris • Textured paint blends with the shingles • Contractor quality with simple installation • Can be installed on any pitch roof • Powder Coated Steel Weatherwood can be used with steel or aluminum systems • Can be used with 4", 5" or 6" K gutter 					

Diamond Gutter Shield	Description	Carton Qty	White	Brown	Black
	3' section, 5"	50	85200BX	85219BX	85235BX
	3' section, 6"	50	86200BX	86219BX	86235BX
	4' section, 5" - 25 pcs	(1) CP	85300BXRTL	85319BXRTL	-
	4' section, 6" - 25 pcs	(1) CP	86300BXRTL	86319BXRTL	-
<ul style="list-style-type: none"> • Pressure Fit Design Makes Installation Easy - No Fasteners Needed • Compatible with Asphalt, Tile or Metal Roof System • Drip Lip Reduces Tiger Striping • Tested to Handle the Heaviest of Rainfall - Up to 40" per Hour • Aluminum with High Impact Powder Coat Finish Reduces Scratching and Cracking 					

Gutter Cover	Description	Carton Qty	White	Clay
	4' Plastic	50	85320	85322
	4' Plastic - 25 pcs	(1) CP	85304BX	85314BX
<ul style="list-style-type: none"> • Flex design made of rigid PVC accommodates many different pitched roofs • Solid Bull Nose Design allows water to roll into the gutter through the process of surface adhesion • Easy to install 4 foot sections fit standard 4", 5" and 6" metal gutters 				

Snap-In Filter	Description	Carton Qty	White	Brown
	3' Plastic	125	86270BX	86279BX
	3' Plastic - 25 pcs	(1) CP	86670	86679
<ul style="list-style-type: none"> • Fits 4", 5" & 6" Gutters • Made of high quality, rigid PVC • Snap-In design will not collapse under debris • Install with screen facing the sky 				

Gutter Guards

Snap-In Guard	Description	Carton Qty	White	Brown	Black
			3' Plastic	125	85270BX
	3' Plastic	50	85470	85479	85475
	3' Plastic - 25 pcs	(1) CP	85670	85679	85675
	<ul style="list-style-type: none"> Fits 4", 5" & 6" Gutters Made of high quality, rigid PVC Snap-in design for easy installation 				

Lock-On Gutter Guard	Description	Carton Qty	Black
			4' Galvanized, 5" K Style, Standard
	4' Galvanized, 6" K Style, Standard	50	GG6KKDI
	4' Galvanized, 5" K Style, Fine Mesh	50	GG5KKDIFM
	4' Galvanized, 6" K Style, Fine Mesh	50	GG6KKDIFM
	<ul style="list-style-type: none"> Fits 5" & 6" Gutters Made of wire mesh (Standard and Fine) 		

Hinged Gutter Guard	Description	Carton Qty	White	Brown	Black	Unpainted
			6"x3' Galvanized	50	-	-
	6"x3' Galvanized	25	-	-	-	852802
	5/pk	10 pks	-	-	-	852805
	5/pk	45 pks	-	-	-	852806
	6"x3' Galv. Premium Powder Coated					
		50	85416BX	85389BX	85295	-
		25	854162	853892	-	-
	5"x3' Galvanized	75	-	-	-	GGGLK5
	5/pk	30 pks	-	-	-	854054
	6"x3' Aluminum No UPC	75	-	-	-	GGAK-6
	Hinged Guard Clips Stainless Steel, 8/pack	25 pks	-	-	-	85341
		<ul style="list-style-type: none"> Convex hinged design provides strength and allows access to gutters Three foot sections come in sizes that fit any standard style "K" gutters Made of long lasting galvanized steel, aluminum or copper. Powder coated steel also available Hinged Guard Clips for standard style "K" gutters only 				

Gutter Guards

Hinged Half Round Gutter Guard	Description	Carton Qty	Part No.
			Hinged Aluminum
	5" x 3'	50	GGAR-5
	6" x 3'	50	GGAR-6
Hinged Copper			
	5" x 3'	50	GGCR-5BX
	6" x 3'	50	GGCR-6BX
<ul style="list-style-type: none"> Convex hinged design provides strength and allows access to gutters Three foot sections come in sizes that fit any standard style Half Round gutters Made of long lasting aluminum or copper 			

Co-Polymer Gutter Guard	Description	Carton Qty	Part No.
			Co-Polymer 6"x20' rolls
	Gutter Guard Girders		
	8/bag	12 bags	85175
<ul style="list-style-type: none"> Installs easily in aluminum or galvanized gutter systems Fits 5" K-Style gutters Economical 6 inch x 20 foot rolls 8 rolls needed for average home Durable co-polymer material - black 			

Leaf Guard Plus	Description	Carton Qty	White	Brown
			6' sections	20
	<ul style="list-style-type: none"> Leaf guard with added drip protection Installs easily onto vinyl gutter system hooks No tools required For vinyl gutter systems only 			

Leaf Guard	Description	Carton Qty	White	Brown
			5' sections	20
	<ul style="list-style-type: none"> Economical leaf guard Installs easily onto vinyl gutter system hooks No tools required For vinyl gutter systems only 			

Gusher Guard	Description	Carton Qty	White	Brown
			Aluminum 3/pk	10 pks
	<ul style="list-style-type: none"> Attach to front top lip of gutter where overflows occur Requires screw or rivet attachment Use on inside miters 			

Note:

The purpose of our Gutter Guard product line is to stop leaves or reduce debris from entering the gutter/eavestrough. Product performance can vary depending on proper installation, product selection, gutter orientation, roof material and slope. Winter weather may cause snow and ice to accumulate at roof eaves. Ice damming can result from improper roof ventilation and inadequate insulation. Heat radiating from below the roof and sun radiation melt snow and it freezes again when temperatures drop below freezing. Icicles can be formed on roof edges due to these conditions whether or not gutters or guards are installed. This is a natural process beyond the manufacturers control and we accept no responsibility for ice and snow accumulation or related consequences.

Leaf Guards are sold as debris protection devices. The manufacturer assumes no responsibility for any other result of this product use.

Accessories



Description	Carton Qty	Black
Low Profile Drainage System	12	81015
Extender	12	81215

EXTEND-A-Spout™

Unassembled Low Profile Drainage System

- Works with A or B elbow, 2" x 3" or 3" x 4"
- Snap-fit technology for easy installation
- Unobstructed interior flow to prevent clogging
- Beaded seal to avoid leakage
- ½" Dam to eliminate backflow
- Optional Extender increases overall length capacity an additional 30 inches
- Snap-fit design secures the extender in place for long term positioning
- Telescoping feature allows owner to adjust the length that best suits their application
- For more information go to ExtendASpout.com



Description	Carton Qty	White
2" x 3"	6	37042
3" x 4"	6	37043

CATCH-A-Raindrop™
THE HARVESTING RAINWATER COLANDER™

- Fits most standard residential downspouts
- Small, discrete, and worry-free
- Affordable way to conserve water
- Plants love the pH neutral, fluoride- and chlorine-free water
- Diverts water away from your home's foundation
- Attach to regular garden hose or use cap
- For more information go to CatchARaindrop.com

Description	Carton Qty	White
2" x 3"	30	37052
3" x 4"	30	37053

Rodent Guard

- Rodent Guard attaches to the downspout to prevent rodents and other pests from climbing up the downspout and into gutters and entering the attic
- Made of ultra-tough molded Polycarbonate, won't rust
- Won't discolor from sun or chemicals
- Easy to install
- Easy to clean

Accessories



Flex-A-Spout®	White	Green	Brown	Stone
	85010	85011	85019	85014

Carton Qty 12

NAHB RESEARCH CENTER GREEN APPROVED

- Can be used with 2" x 3" and 3" x 4" downspout
- Flex-A-Spout® expands from 22" to 55"
- Bend around trees and obstructions, Flex-A-Spout® keeps its shape
- Join together for customized extensions
- Colors blend in with any landscape scheme

Flex-Elbow™	Description	Carton Qty	White	Brown
	2" x 3" Plastic	24	37084	3708419

- Expands 8" to 18"
- Use with Aluminum, Steel, or Vinyl
- Fits 2" x 3" downspout and 4" and 5" gutters
- Easily bends and holds its shape

Clip-Up Diverter Kit	Description	Carton Qty	White	Brown
	-	20	KM9030	-

- For vinyl or metal 2" x 3" downspouts
- 30 inches long

Vinyl Dripper Flipper	Description	Carton Qty	White	Brown
	-	12	37030	3703019

- For vinyl or metal 2" x 3" downspouts
- 30 inches long

Accessories

Splash Blocks

Brown	Green	Stone	Slate
3001-12	3002-12	3003-12	3004-12

12/bundle

NAHB RESEARCH CENTER GREEN APPROVED

- 11.5" Wide x 24" Long
- Colors will blend in with any landscape scheme

SuperScoop™

Description	Carton Qty	Yellow
Multi Purpose Scoop	12	LY306

SUPERSCOOP™

- Made of durable plastic resin for long life
- Multi-use around the home
- Rock salt spreading in winter
- Potting soil in summer
- Removes debris from gutters
- Use with any style gutter (metal or vinyl)
- Measurement units inside scoop and handle for use in various residential tasks

Gutter Wedge

Description	Carton Qty	White	Brown
Fascia Fixer	50	T0539	T1539

- Do away with sagging gutters
- Use with 5" or 6" gutters
- Use when fascia board or roof truss is slanted or sloped

Roof Edge & Trim

See page A11 in the Appendix for product information

A Style - 10'

A5	Aluminum		
	Mill Finish	White	Royal Brown
	A-5MF2	A-5WA2	A-5BA2
	(50)	(50)	(50)
	.0125"	.0125"	.0125"

B Style - 10'

B4 1/2	Aluminum	
	White	
	55002	
	(50)	
	.0175"	

B5 1/2	Aluminum	
	White	Brown
	55003	5500319
	(50)	(50)
	.0175"	.0175"

B5 1/2	Aluminum	
	White	Brown
	55013	5501319
	(50)	(50)
	.0145"	.0145"

C Style - 10'






Hemmed C	Galvanized			
	Unpainted	White	Brown	Gray/Bronze
	56003	57103	5710319	5710333
	(40)	(25)	(25)	(25)
	32 ga.	32 ga.	32 ga.	32 ga.

C3	Aluminum					Galvanized		
	Mill Finish	White			Royal Brown	Unpainted		
	54004	C-3MFB	C-3WAB	C-3WA2	55004	C-3BAB	56004	56704
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(25)
	.014"	.0175"	.0175"	.0125"	.019"	.0175"	30 ga.	32 ga.

Roof Edge & Trim

See page A11 in the Appendix for product information






C Style - 10' (cont.)

C3 (Cont.)	Galvanized							
	White	White	Brown					
	57004	57704	5770419					
	(50)	(25)	(25)					
	32 ga.	28 ga.	28 ga.					
C3S Hemmed	Aluminum	Galvanized						
	White	Unpainted						
	55104	56104	56705					
	(50)	(50)	(25)					
	.019"	32 ga.	28 ga.					
C3 Hemmed	Galvanized			Galvanized (Embossed)				
	Unpainted	White	Brown	Gray/Bronze	White			
	56071	57171	5717119	5717133	57271			
	(25)	(25)	(25)	(25)	(25)			
	32 ga.	32 ga.	32 ga.	32 ga.	32 ga.			
C3 1/2	Aluminum							
	White				Brown	Royal Brown	Musket Brown	
	C35WA6	C35WAB	C35WA2	55005	5500519	C35BA6	C35BAB	C35MBB
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(50)
	.016"	.0175"	.0125"	.0175"	.0175"	.016"	.0175"	.0175"
	Aluminum							
	Bright White	Light Maple	Natural Clay	Musket Brown	Pearl Gray	Savannah Wicker	Black	Dark Bronze
	C35BWB	C35LMB	C35NCB	C35AMB	C35PGB	C35SWB	C35BKB	C35DBB
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(50)
	.0175"	.0175"	.0175"	.0175"	.0175"	.0175"	.0175"	.0175"
	Galvanized							
	Unpainted	Copper						
	56005	C35CPB						
	(50)	(20)						
	32 ga.	16 oz.						
C3 1/2 M	Aluminum							
	White		Brown					
	55125	55225	5512519					
	(50)	(50)	(50)					
	.0145"	.019"	.0145"					

Roof Edge & Trim

See page A11 in the Appendix for product information

C Style - 10' (cont.)




C4	Galvanized											
	Unpainted	White	Brown	Copper								
	56622	57622	5762219	C-4CPBD								
	(25)	(25)	(25)	(20)								
	29 ga.	29 ga.	29 ga.	16 oz.								
CS4	Aluminum											
	Mill Finish	White		Royal Brown	Copper							
	CS4MF2	CS4WAB	CS4WA2	CS4BAB	CS4BA2	CS4CPB						
	(50)	(50)	(50)	(50)	(50)	(20)						
	.0125"	.019"	.0125"	.019"	.0125"	16 oz.						
C4 Hemmed	Galvanized											
	Unpainted	White	Brown	Gray/Bronze								
	56002	57002	5700219	5700233								
	(25)	(25)	(25)	(25)								
	32 ga.	32 ga.	32 ga.	32 ga.								
C4 1/2	Aluminum											
	White				Royal Brown	Black	Musket Brown					
	C45WAB	C45W24	C45WA6	C45WA2	C45BAB	C45BA6	C45BKB	C45MBB				
	(50)	(25)	(50)	(50)	(50)	(50)	(50)	(50)				
	.019"	.024"	.016"	.0125"	.019"	.016"	.019"	.019"				
	Aluminum											
	White	Brown	Unpainted	Copper								
	55006	5500619	56006	C45CPB								
	(50)	(50)	(25)	(20)								
	.0175"	.0175"	.010"	16 oz.								
C5 1/2	Aluminum											
	White					Brown	Royal Brown					
	C55W3B	C55W24	C55WAB	C55WA6	55007	C-5WA2	5500719	C-5BA2				
	(25)	(25)	(50)	(50)	(50)	(50)	(50)	(50)				
	.032"	.024"	.019"	.016"	.0175"	.0125"	.0175"	.0125"				
	Aluminum				Galvanized							
	Royal Brown		Musket Brown	Unpainted	White	Royal Brown	Copper					
	C55B3B	C55BAB	C55BA6	C55MBB	C55GLB	C55WSB	C55BSB	C55CPB				
	(25)	(50)	(50)	(50)	(20)	(50)	(50)	(20)				
	.032"	.019"	.016"	.019"	27 ga.	28 ga.	28 ga.	16 oz.				





Moisture Protection

Moisture Protection

Roof Edge & Trim





See page A11 in the Appendix for product information

C Style - 10' (cont.)							
C6 	Aluminum				Galvanized		
	Mill Finish	White	Dark Bronze	Royal Brown	Unpainted	White	Copper
	C-63MF	C-63WB	C-63DZ	C-63BA	C-6GLB	C-6WSB	C-6CPB
	(25)	(25)	(25)	(25)	(10)	(10)	(10)
	.032"	.032"	.032"	.032"	28 ga.	27 ga.	16 oz.
C7 							
	Galvanized						
	Unpainted						
	56640						
	(20)						
	32 ga.						
C8 							
	Galvanized						
	White						
	57644						
	(10)						
	29 ga.						


D & E Style - 10'			
D3 	Aluminum		Galvanized
	White	Royal Brown	Unpainted
	D-3WAB	D-3BAB	56008
	(50)	(50)	(50)
	.019"	.019"	32 ga.
D4 			
	Aluminum		
	White	Royal Brown	
	D-4WAB	D-4BAB	
	(50)	(50)	
	.019"	.019"	
D5 			
	Galvanized		
	Unpainted		
	56625		
	(25)		
	29 ga.		
D5 			
	Galvanized		
	Unpainted		
	56253		
	(15)		
	31 ga.		

Roof Edge & Trim

See page A11 in the Appendix for product information

D & E Style - 10' (cont.)							
E3 	Aluminum						
	White		Royal Brown				
	E-3WA6	E-3WAB	E-3BAB				
	(50)	(50)	(50)				
	.016"	.019"	.019"				
E4 							
	Aluminum		Galvanized				
	Mill Finish	White		Unpainted			
	E-4MFB	E-4WA6	E-4WAB	E-4BA6	E-4BAB	56012	56624
	(50)	(50)	(50)	(50)	(50)	(25)	(25)
	.019"	.016"	.019"	.016"	.019"	32 ga.	29 ga.
E6 							
	Galvanized						
	Unpainted						
	56626						
	(20)						
	29 ga.						
E9 							
	Copper						
	E-9CPBD						
	(10)						
	16 oz.						

Overhanging Roof Edge

F Style Vinyl - 10'		
F4 1/2 	Vinyl	
	White	Brown
	37154	3715419
	(25)	(25)
	.035"	.035"

Overhanging Roof Edge

See page A11 in the Appendix for product information

F Style - 10'

F4 1/2 Metal	Aluminum							
	Mill Finish	White			Brown	Ivory	Clay	Bronze
	54014	55099	55054	5509919	5505419	5505422	5505444	5505433
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(50)
	.014"	.011"	.0145"	.011"	.0145"	.0145"	.0145"	.0145"
	Aluminum			Galvanized				
	Black	Red	Green	Unpainted	White	Brown	Black	
	5505435	55054180	55054181	56014	56214	57014	5701419	5701435
	(50)	(50)	(50)	(25)	(25)	(25)	(25)	(25)
	.0145"	.0145"	.0145"	32 ga.	32 ga.	32 ga.	32 ga.	32 ga.
	Galvanized							
	White	Brown	Unpainted	White	Brown	Black	Copper	
	57214	5721419	59004	59014	5901419	5901435	F45CPB	
	(25)	(25)	[25]	[25]	[25]	[25]	(15)	
	31 ga.	31 ga.	32 ga.	32 ga.	32 ga.	32 ga.	16 oz.	
F4 1/2 Hemmed	Aluminum							
	White			Brown	Royal Brown			
	F45WA2	F45WA6	F45WAB	55199	5519919	F45BA2	F45BA6	F45BAB
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(50)
	.0125"	.016"	.019"	.0125"	.0125"	.0125"	.016"	.019"
	Aluminum							
	Mill Finish	Black	Clay					
	F45MFB	F45BKB	F45CLB					
	(50)	(50)	(50)					
	.019"	.019"	.019"					
F4 1/2 Open Hemmed	Galvanized							
	Unpainted	White	Brown					
	56114	57224	5722419					
	(25)	(25)	(25)					
	32 ga.	31 ga.	31 ga.					
F4 1/2 Modified	Aluminum							
	Mill Finish	Musket Brown						
	F45MFB	F45MBB						
	(50)	(50)						
	.0175"	.0175"						

Overhanging Roof Edge

See page A11 in the Appendix for product information

F Style - 10' (cont.)

F5	Aluminum							
	Mill Finish	White					Brown	
	54015	F-5MFB	55055	55015	F-5WAB	F-5W24	F-5WA6	5505519
	(50)	(50)	(50)	(50)	(50)	(25)	(50)	(50)
	.014"	.019"	.0145"	.019"	.019"	.024"	.016"	.0145"
	Aluminum							Galvanized
	Brown	Royal Brown			Black	Clay	Musket Brown	Unpainted
	5501519	F-5BAB	F-5B24	F-5BA6	F-5BKB	F-5CLB	F-5MBB	56015
	(50)	(50)	(25)	(50)	(50)	(50)	(50)	(25)
	.019"	.019"	.024"	.016"	.019"	.019"	.019"	32 ga.
	Galvanized							
	Unpainted	White				Brown		
	56215	F-5GLB	57015	57215	57615	F-5WSB	5701519	5721519
	(25)	(20)	(25)	(25)	(25)	(20)	(25)	(25)
	32 ga.	28 ga.	32 ga.	31 ga.	29 ga.	29 ga.	32 ga.	31 ga.
	Galvanized	Brown	Copper					
	5761519	F-5CPB						
	(25)	(15)						
	29 ga.	16 oz.						
F5 Open Faced	Aluminum			Galvanized				
	Mill Finish	White	Brown	Unpainted	Copper			
	54017	55057	5505719	56217	F5OCPB			
	(50)	(50)	(50)	(15)	(10)			
	.014"	.0145"	.0145"	32 ga.	16 oz.			
F5 Open Hemmed	Aluminum							
	Mill Finish	White			Royal Brown			
	F5OMF2	F5OMFB	F50WA2	F50WA6	F5OWAB	F5OBA2	F5OBA6	F5OBAB
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(50)
	.0125"	.019"	.0125"	.016"	.019"	.0125"	.016"	.019"
F5 1/2 Open Faced	Aluminum							
	White							
	55058							
	(50)							
	.0145"							

Moisture Protection

Moisture Protection




Overhanging Roof Edge See page A11 in the Appendix for product information

F Style - 10' (cont.)									
	Aluminum								
	Mill Finish	White			Royal Brown			Bright White	
	F55OMF	F55OW2	F55OW6	F55OWB	F55OB2	F55OB6	F55OBB	F55OBW	
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(50)	
	.019"	.0125"	.016"	.019"	.0125"	.016"	.019"	.019"	
Aluminum									
Light Maple	Natural Clay	A Musket Brown	Pearl Gray	Savannah Wicker	Black				
F55OLM	F55ONC	F55OAMB	F55OPG	F55OSW	F55OBK				
(50)	(50)	(50)	(50)	(50)	(50)				
	.019"	.019"	.019"	.019"	.019"				
F5 Modified									
Aluminum									
White	Brown								
55085	5508519								
(50)	(50)								
	.019"								
F5M Hemmed									
Aluminum									
White			Brown			Royal Brown			
55045	F5MWA6	F5MWAB	55046	5504519	5504619	F5MBA6	F5MBAB		
(50)	(50)	(50)	(35)	(50)	(35)	(50)	(50)		
	.0145"	.016"	.019"	.022"	.0145"	.022"	.016"	.019"	
Aluminum									
Clay	Bronze	Musket Brown	Bright White	Pearl	White	Bright White			
F5MCLB	5504544	5564533	F5MMBB	55045182	55045237	55645	5564514		
(50)	(50)	(40)	(50)	(50)	(50)	(50)	(50)		
	.019"	.0145"	.019"	.019"	.0145"	.0145"	.019"		
Aluminum						Galvanized			
Light Maple	Natural Clay	Musket Brown	Pearl Gray	Savannah Wicker	Black	Unpainted	White		
5564528	5564579	5564559	5564553	5564546	5564535	F5MGLB	57045		
(50)	(50)	(50)	(50)	(50)	(50)	(25)	(25)		
	.019"	.019"	.019"	.019"	.019"	28 ga.	32 ga.		
Galvanized									
White	Brown		Green	Copper					
57245	5704519	5724519	57345181	F5MCPB					
(25)	(25)	(25)	(25)	(15)					
	32 ga.	32 ga.	32 ga.	28 ga.	16 oz.				

Overhanging Roof Edge See page A11 in the Appendix for product information

F Style - 10' (cont.)									
	Aluminum								
	White	Brown							
	55041	5504119							
	(40)	(40)							
	.0175"	.0175"							
F5S Hemmed									
Aluminum									
White	Brown	Bright White	Light Maple	Natural Clay	Musket Brown	Pearl Gray	Savannah Wicker		
55155	5515519	55155182	5515528	5515579	5515559	5515553	5515546		
(50)	(50)	(50)	(50)	(50)	(50)	(50)	(50)		
	.0145"	.0145"	.0145"	.0145"	.0145"	.0145"	.0145"		
Aluminum				Galvanized					
Royal Brown	Black	White	Brown	Bronze	Black				
5515515	5515535	57155	5715519	5715533	5715535				
(50)	(50)	(25)	(25)	(25)	(25)				
	.0145"	.0145"	32 ga.	32 ga.	32 ga.				
F5 1/2 Open Faced Hemmed									
Galvanized									
White	Brown								
57157	5715719								
(25)	(25)								
	32 ga.								
F5 1/2 S Hemmed									
Aluminum									
White	Brown	Green	Brown	Black	Bronze	White			
55056	55116	5505619	55056181	5511719	5511735	5511733	57656		
(50)	(50)	(50)	(50)	(50)	(50)	(50)	(25)		
	.0145"	.0175"	.0145"	.0145"	.0175"	.0175"	.0175"		
Galvanized									
Brown									
5765619									
(25)									
	29 ga.								
F6M Hemmed									
Galvanized									
Unpainted	White	Brown							
56242	57042	5704219							
(20)	(20)	(20)							
	32 ga.		32 ga.		32 ga.				



Overhanging Roof Edge See page A11 in the Appendix for product information

F Style - 10' (cont.)								
F8 Open Faced	Aluminum			Galvanized				
	Mill Finish	White	Brown	Unpainted	White			
	54018	55017	5501719	56220	57219			
	(50)	(25)	(25)	(15)	(15)			
	.014"	.0145"	.0145"	32 ga.	32 ga.			
F8	Aluminum			Galvanized				
	Mill Finish	White	Brown	Unpainted				
	54219	55219	5521919	56019	56219			
	(25)	(25)	(25)	(15)	(15)			
	.0167"	.0175"	.0175"	32 ga.	32 ga.			
F8 Open Hemmed	Aluminum							
	Mill Finish			White				
	F-8MF2	F-8MFB	54217	F-8WA2	F-8WAB	F-8W24	55217	55645
	(25)	(25)	(25)	(25)	(25)	(25)	(25)	(25)
	.0125"	.019"	.0167"	.0125"	.019"	.024"	.0175"	.019
Aluminum							Galvanized	
Brown	Royal Brown	Black		Bright White	Light Maple	Natural Clay		
5521719	F-8BA2	F-8BAB	5521735	F-8BKB	5521714	5521728	5521779	
(25)	(25)	(25)	(25)	(25)	(25)	(25)	(25)	
.0175"	.0125"	.019"	.0175"	.019"	.0175"	.0175"	.0175"	
Aluminum					Galvanized			
Musket Brown	Pearl Gray	Savannah Wicker	Royal Brown	Black	Unpainted	Copper		
5521759	5521735	5521746	5521715	5521735	F-83GL	F-8CPB		
(25)	(25)	(25)	(25)	(25)	(20)	(10)		
.0175"	.0175"	.0175"	.0175"	.0175"	32 ga.	16 oz.		


Vinyl Drip Edge - 10'

Vinyl	
	White
	T0401
	(25)
	-

Overhanging Roof Edge See page A11 in the Appendix for product information

ODE Style - 10'								
	Aluminum							
	LG 30 White	Bright White	Light Maple	Natural Clay	A Musket Brown	Pearl Gray	Savannah Wicker	Royal Brown
	ODE-WA	ODE-BW	ODE-LM	ODE-NC	ODE-AMB	ODE-PG	ODE-SW	ODE-BA
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(50)
	.019"	.019"	.019"	.019"	.019"	.019"	.019"	.019"
Aluminum								
Black	Copper							
ODE-BK	ODE-CP							
(50)	(10)							
.019"	16 oz.							
F.H.A. - 10'								
	Galvanized							
	Unpainted							
	56645							
	(20)							
	29 ga.							

Miscellaneous

H Style - 10'								
	Aluminum						Galvanized	
	Mill Finish	White			Royal Brown	Musket Brown	Unpainted	
	H55MFB	H55WA6	55021	H55WAB30W	H55BA6	H55BAB	H55MBB	56021
	(50)	(50)	(50)	(50)	(50)	(50)	(50)	(25)
	.019"	.016"	.0175"	.019"	.016"	.019"	.019"	32 ga.
Galvanized								
White	Copper							
H55WSB	F-8CPB							
(20)	(10)							
27 ga.	16 oz.							
Aluminum		Galvanized						
White	Unpainted							
55224	56324							
(50)	(20)							
.019"	28 ga.							

Miscellaneous

See page A11 in the Appendix for product information

H Style - 10' (cont.)

H6F Slag Stop	Aluminum							
	Mill Finish		White			Royal Brown		
	H6FMFB	H6FM3B	H6FWA6	H6FW24	H6FW3B	H6FBA6	H6FBAB	H6FB3B
	(50)	(25)	(50)	(25)	(25)	(50)	(50)	(25)
	.019"	.032"	.016"	.024"	.032"	.016"	.019"	.032"
	Aluminum							
	Musket Brown	Copper						
	H6FMBB	H6FCPB						
	(50)	(15)						
	.019"	16 oz.						

Vented Roof Edge - 10'

Vented D.E.	Aluminum			
	Mill Finish	White	Royal Brown	Copper
	VDE-MF	VDE-HG	VDE-BR	VDE-CP
	(20)	(20)	(20)	(10)
	.027"	.027"	.027"	16 oz.
	Aluminum			

Roof Apron - 10'

Roof Apron	Aluminum					Galvanized		
	Mill Finish	White	Musket Brown	Pebblestone Clay	Bronze	Unpainted	White	Brown
	54075	55075	5507559	5507585	5507533	56075	57075	5707519
	(50)	(40)	(40)	(40)	(40)	(25)	(25)	(25)
	.011"	.019"	.019"	.019"	.019"	32 ga.	32 ga.	32 ga.
	Aluminum							

Brick Molding

Brick Molding	Aluminum	
	White	
	BMCWA9	
	(25)	
	.019"	
	Aluminum	

Window & Door Cap

See page A11 in the Appendix for product information

Window & Door Cap - 10'

	Aluminum					
	Mill Finish	HiGloss White				
	54221	5522120120				
	(100)	(50)				
	.011"	.011"				
	Aluminum					
	Mill Finish					
	54520	54520	54520			
	(50) 42"	(50) 4'	(100) 8'			
	.011"	.011"	.011"			
	Aluminum					
	Mill Finish	White	HiGloss White	Brown		
	54231	55231	5523120	5523119		
	(100)	(100)	(50)	(100)		
	.011"	.011"	.011"	.011"		
	Aluminum					
	White	HiGloss White				
	55321	5532120				
	(100)	(50)				
	.011"	.011"				
	Aluminum					
	Mill Finish	HiGloss White	White	Copper		
	54521	5525120	55251	XDCC56		
	(50) 42"	(50)	(100)	(20)		
	.011"	.011"	.011"	16 oz.		
	Aluminum					
	Mill Finish	White	HiGloss White	Brown	Copper	
	54241	54241	55241	5524120	5524119	XDCC18
	(100)	(50) 42"	(100)	(50)	(100)	(20)
	.011"	.011"	.011"	.011"	16 oz.	
	Aluminum					
	Mill Finish	White	HiGloss White			
	54049	54049	55049	5504920		
	(100)	(50) 42"	(50)	(50)		
	.011"	.011"	.0175"	.011"		

Moisture Protection

Moisture Protection

Window & Door Cap

See page A11 in the Appendix for product information

Window & Door Cap - 10' (cont.)											
	Aluminum										
	Mill Finish			White	HiGloss White						
	54261	54261	54261	55261	5526120						
	(100)	(50) 42"	(50) 8'	(100)	(50)						
	.011"	.011"	.011"	.011"	.011"						
1 5/8" x 10'	Galvanized	Aluminum									
	Unpainted	White									
	56060	55060									
	(50)	(50)									
	32 ga.	.0175"									
DC1 - 10'	Aluminum										
	White		Royal Brown								
	DC1WA2	DC1WA6	DC1BA2	DC1BA6							
	(50)	(50)	(50)	(100)							
	.0125"	.0145"	.0145"	.0125"							
DC3 - 10'							Aluminum				
White											
DC3WA2							DC3WA6				
(50)							(50)				
	Aluminum										
	White										
	55034										
	White										
	55034										
	(63)										
.0175"											

West Coast Roof Edges

See page A11 in the Appendix for product information

Grip Edge - 10' (cont.)				
	Galvanized			
	Unpainted			
	56788			
	(20)			
28 ga.				
Galvanized				
	Unpainted			
	56782			
	(20)			
	28 ga.			
Drip Edge - 10'				
	Galvanized			
	Unpainted	White	Brown	Charcoal
	56616	57616	5761619	5761634
	(20)	(20)	(20)	(20)
	28 ga.	28 ga.	28 ga.	28 ga.
	Galvanized			
	Unpainted	White	Brown	Charcoal
	56602	57602	5760219	5760234
	(20)	(20)	(20)	(20)
	28 ga.	28 ga.	28 ga.	28 ga.
	Galvanized			
	Unpainted			
	56673			
	(10)			
28 ga.				
	Galvanized			
	Unpainted			
	56671			
	(20)			
28 ga.				
	Galvanized			
	Unpainted			
	56742			
	(10)			
	28 ga.			






West Coast Roof Edges

Grip Edge - 10'			
	Galvanized		
	Unpainted	White	Brown
	56787	57787	5778719
	(20)	(20)	(20)
	28 ga.	28 ga.	28 ga.

Flashing Angle

See page A11 in the Appendix for product information

Flashing Angle - 10'

		Galvanized
	Unpainted	56633
		(10)
		29 ga.
	Unpainted	56644
		(10)
		29 ga.
	Unpainted	56664
		(10)
		29 ga.
	Unpainted	56620
		(10)
		29 ga.
	Unpainted	56646
		(10)
		29 ga.
	Unpainted	59644
		(10)
		29 ga.



Synthetic Roofing Underlayment

- UV Stabilized Synthetic Material Rated for One Year Exposure
- Printed with Nail Pattern and Alignment Guides
- 52" Width Makes Installation Quicker
- Resists Mold
- Stronger & Lighter than Organic Underlayment
- 25 Year Limited Warranty
- Florida Building Code Approved for Use in HVHZ (High Velocity Hurricane Zone) as per TAS 104



	Description	Pallet Qty.	Part No.
	Pro-Master Roof Shield UDL™ • Lightweight: 28 lbs. for 10 sq. roll • Anti-Slip Coated for Safety • May be Used with: Asphalt Shingles, Wood Shakes, Non-Structural Metal Roofing, and Synthetic & Quarry Slate 10 Square Roll - 52" x 231'	49	PMUDL10
	Pro-Master Roof Shield UDL PLUS™ • Lightweight: 30.3 lbs. for 10 sq. roll • Traction Twist Fiber™ for Safety - 30% Better Traction • May be Used with: Asphalt Shingles, Wood Shakes, Tile Roofing, Non-Structural Metal Roofing, and Synthetic & Quarry Slate 10 Square Roll - 52" x 231'	36	PMUDL10P

Area Walls, Covers & Grates

Plastic Area Walls	Size	Pack Qty.	Part No.	Galvanized Area Walls	Size	Pack Qty.	Part No.	
	12"	3/bundle	75204		12"	5/bundle	75004	
	18"	3/bundle	75208		18"	5/bundle	75008	
	24"	3/bundle	75210		24"	5/bundle	75010	
					22 ga. Non-stackable			
• Combine units for added heights • Units are pre-drilled and can be bolted together								
Galvanized Mini Area Wall	Pack Qty.	Part No.	Plastic Grate	Pack Qty.	Part No.	Translucent Cover	Pack Qty.	Part No.
	5/bundle	75016		3/bundle	75250		3/bundle	75260
12" height Mini - (for Foundation Vents)			• Load Bearing - holds over 500 lbs. • Fits plastic and galvanized area walls • Easy to install			• Can be used on metal and plastic area walls with a width of 37" and projection of 16"		

Area Walls, Covers & Grates

Plastic Modular Egress Window Well System and Hinged Window Well Cover

Window Well	Height	Pack Qty.	Part No.	Hinged Cover	Pack Qty.	Part No.
stacked sections shown 	20 7/8"	1	75447		1	75449
	inside clearance shown here 60"			clear plastic size: 57 15/16" Wide 44 5/8" Depth 5 7/8" High		
<ul style="list-style-type: none"> Accommodates all egress windows from 32" to 48" wide 43" projection from the wall Complies with IRC 2000 Egress Code Multiple well heights available 				<ul style="list-style-type: none"> Individual sections are 20 7/8" in height; when stacked, each additional section adds 14" to the overall height; continue stacking until desired height is reached Hinged cover is clear to allow light in 		

Escape Ladder (for Egress Area Wall)	Size	Pack Qty.	Part No.	Galvanized Egress Area Wall	Size	Pack Qty.	Part No.
	48 1/2" height	1	75450		48" height 60" height	1 1	75448 75460
14" Wide				16 ga. inside clearance shown here			
<ul style="list-style-type: none"> For use with egress area walls with a height of 48" - 60" IRC 310.2.1 compliant for egress Welded steel construction 				<ul style="list-style-type: none"> 36" projection from the wall Coated with hot-dipped galvanized Mounting holes for attachment to area wall 			

- Bring Safety to Your Basement
- Protect Below Grade Openings in Foundation Walls
- Provides an Emergency Exit from Basement (when used with Egress Window)
- Permit Daylight and Air Flow in Basement
- Covers Help Prevent Children and Pets from Falling into Opening



Trim Coil - Painted Aluminum

Color	Smooth Finish (.018") 24" x 50' 1 roll per carton - 24 cartons per skid	PVC Finish (.021") 24" x 50' 1 roll per carton
	Part No.	Part No.
Brown	69124	6912497
Royal Brown	6912415	6912468
ALC Musket Brown	6912459	6912425
Cert Musket Brown	6912430	6912452
AMP Dark Bronze	6912451	6912423
AMP Dark Bronze/Sable Brown	ADBSAB-24	-
Antique Ivory	69124029	6912442
Autumn Yellow	6912434	6912443
Barn Red	6912412	6912445
Black/Black	204-24	-
Black	6912435	6912441
Black/Royal Brown	6912436	-
Buckskin	6912421	6912449
Glacier Blend	6912437	6912456
Cypress	69124239	6912454
Desert Tan	6912477	6912478
Granite Gray	6912447	6912413
Grecian Green	69124217	6912460
Heritage Cream	69124027	6912462
Herringbone	69124220	6912463
Ivy Green	6912461	6912464
Light Maple	69124028	6912465
Natural Clay	69124079	6912439
Pacific Blue	6912438	6912466
Oxford Blue	6912493	6912494
Pearl Gray	6912453	6912467
Pebble Stone Clay	6912485	6912486
Sable Brown	69124033	6912470
Sandstone Beige	6912474	6912471
Savannah Wicker	69124046	6912472
Silver Ash	6912432	6912475
Colonial White	6912491	6912492
Snow White	6912484	6912480
Sterling Gray	6912431	6912481
Summer Wheat	6912424	6912482
Tuxedo Gray	6912488	6912489
Lomar White	6912455	6912457
Bright White	69124182	6912458
Woodland Mist	69124036	6912483
Bronze	6912433	-

Amerimax now has many colors to choose from!

Flame Spread: self-extinguishing - A.S.T.M. D568



Note: All inside rolls are painted white unless specified

For trim nails to color coordinate with painted trim coil, see page 74



Trim Coil - Painted Aluminum

Aluminum (.018") 1 roll/ctn						
Color	Part No.					
	10" x 50'	12" x 50'	14" x 50'	16" x 50'	18" x 50'	20" x 50'
Brown/White	69110	69112	69114	69116	69118	69120
Black/White	6911035	-	6911435	-	-	6912035
White/White	-	-	6911455	-	-	-
Royal Brown/Lomar White	-	-	6911415	-	-	-
Lomar White/Lomar White	-	69112551	-	-	-	-
Black/Royal Brown	-	-	6911436	-	-	-
Bright White/Bright White	-	-	69114182	-	-	-
ALC Musket Brown/White	-	-	6911459	-	-	-
Musket Brown	-	-	6911487	-	-	-


Aluminum (.0112")			
Color	Part No.		
	10" x 10' 12 rolls/ctn	14" x 10' 12 rolls/ctn	24" x 10' 1 rolls/ctn
Brown/White	69410	69414	69424

Note: All inside rolls are painted white unless specified

Deck Ledger Flashing

8' Deck Ledger Flashing Cap	Pack Qty.	Painted Steel White	Painted Steel Brown	Plastic Gray
	20	57028	5702819	-
	40	-	-	37028

- Fits over ledger board and behind siding to protect from water damage
- Use asphalt paper between metal and pressure-treated lumber
- Plastic Deck Ledger recommended for use with pressure-treated lumber
- Plastic Deck Ledger has slots for nailing




Roll Valley Flashing

Size	Aluminum				Galvanized
	Versa (.0078")	Economy (.0092")	Standard (.014")	Commercial (.0167")	Standard (32 ga)
4" x 50'	66004	-	68104	-	70004
6" x 50'	66006	68006	68106	-	70006
8" x 50'	66008	68008	68108	-	70008
10" x 50'	66010	68010	68110	-	70010
12" x 50'	66012	68012	68112	-	70012
14" x 50'	66014	68014	68114	68214	70014
16" x 50'	66016	68016	68116	-	70016
18" x 50'	66018	68018	-	-	70018
20" x 50'	66020	68020	68120	68220	70020
24" x 50'	66024	-	68124	-	70024
28" x 50'	-	-	68128	-	70028
30" x 50'	-	-	-	-	70030
36" x 50'	-	-	-	-	70036
4" x 10'	66304	-	-	-	70404
6" x 10'	66306	68306	-	-	70406
8" x 10'	66308	68308	-	-	70408
10" x 10'	66310	68310	-	-	70410
12" x 10'	66312	68312	-	-	70412
14" x 10'	66314	68314	68414	-	70414
16" x 10'	-	-	-	-	70416
18" x 10'	-	-	-	-	70418
20" x 10'	66320	68320	68420	-	70420
24" x 10'	66324	-	-	-	70424
6" x 25'	66506	-	-	-	-
8" x 25'	-	-	-	-	70508
10" x 25'	66510	68510	-	-	70510
12" x 25'	-	-	-	-	70512
14" x 25'	66514	68514	-	-	70514
16" x 25'	-	-	-	-	70516
20" x 25'	66520	68520	-	-	70520
24" x 25'	-	-	-	-	70524

Color Coded Labels to easily identify gauges!



DuraFlash™ Vinyl Flashing				
Color	Part No.	Size	Pack Qty	Skid
White	143018W	14" x 30"	8	240

Copper Nails 1 1/4"		
Pack Qty.	Part No.	
12/ctn	67003PK	
3/8" diameter head approximately 50 nails/pack 1/4 lb./pack		

Copper Flashing					
16 oz. - 1 roll/ctn			3 oz. - 4 roll/ctn		
	Part No.	Size	Part No.	Size	
	67514	14" x 25'	850678	8" x 20'	
	67520	20" x 25'	85067	10" x 20'	
	67314	14" x 10'	8506712	12" x 20'	
	67320	20" x 10'	850698	8" x 60'	
				85069	10" x 60'
				8506912	12" x 60'

Recommended for use with pressure-treated lumber.

Copper Valley Flashing Rolls 16 oz. 100 lb. Rolls		
Lengths are approximate depending on the actual weight of the roll.		
Part No.	Size	Length
CPEV08	8"	149 ft
CPEV10	10"	119 ft
CPEV12	12"	100 ft
CPEV14	14"	85 ft
CPEV16	16"	75 ft
CPEV18	18"	66 ft
CPEV20	20"	60 ft
CPEV24	24"	50 ft

Step Flashing

Unpainted unless otherwise noted

Prebent Step Flashing



Unpainted unless otherwise noted


Pack qty.	Part no.	Description
5" x 7" Bulk Packed		
500	68800BX	Aluminum .011
500	STFLBB "No UPC"	Black/Brown Alum. .011
100	69857	Brown one side Aluminum .011
100	70800	Galvanized 32 ga.
100	STFLBK	Black Galvanized 28 ga.
100	STFLCP	Copper 16 oz.
5" x 7" Contractor Packed 100/bundle		
5 Bundles	68899	Aluminum .011
5" x 7" 10 Pack		
20/packs	85068	Aluminum .011
20/packs	85070	Galvanized 32 ga.
5" x 8"		
100	70658	Galvanized 30 ga.
75	7095819	Brown Galvanized 28 ga.
6" x 8"		
500	STMF68	Aluminum .011
500	6986836	Brown/Black .011
8" x 8"		
100	68888	Aluminum .011
100	69888	Brown/White Alum. .011
100	69889	Black/Storm .011
8" x 10"		
500	SFM810	Aluminum .011
8" x 12"		
50	70981	Galvanized 30 ga.
50	7098119	Brown Galvanized 32 ga.

Pack qty.	Part no.	Description
2" x 3" x 7"		
500	SFB237	Royal Brown Aluminum .011
500	SFM237	Aluminum .011
100	SFC237	Copper 16 oz.
2.5" x 2.5" x 7"		
100	68707	Aluminum .011
100	69707	Brown Aluminum .011
100	70707BX	Galvanized 28 ga.
500	SFK227 "No UPC"	Black Aluminum .011
100	SFC227	Copper 16 oz.
4" x 4" x 8"		
100	68768	Aluminum .011
100	68708BX	Aluminum .011
(1) CP	70718	Galvanized 32 ga. - 50 pcs
100	70768	Galvanized 32 ga.
(1) CP	7071835	Black Galvanized 32 ga. - 50 pcs
100	7070835	Black Galvanized 32 ga.
(1) CP	7071833	Bronze 32 ga. - 50 pcs
100	7070833	Bronze 32 ga.
100	70708	Galvanized 28 ga.
100	70608	Galvanized 30 ga.
75	7090819	Brown Galvanized 28 ga.
3" x 4" x 7"		
250	68743BX	Aluminum .011
250	6974311	White Aluminum .011
250	6974335BX	Black Aluminum .011
250	6974319BX	Brown Aluminum .011
100	70607	Galvanized 28 ga.
500	SFM347	Aluminum .011
500	SFB347	Brown Alum. .011
4" x 4" x 12"		
50	70612	Galvanized 28 ga.
50	7091219	Brown Galvanized 32 ga.


Corner Flex® Flashing

Description	Pack Qty.	Part No.
Unpainted Aluminum .012	20	68720

Corner Flex® Flashing



W-Valley & Z-Bar



W-Valley

Unpainted Commercial Galvanized (29 ga.) 10/skid	
Size	Part no.
18" x 10'	56718
20" x 10'	56720
24" x 10'	56724

Unpainted Standard Galvanized (32 ga.) 10/skid	
Size	Part no.
18" x 10'	56124
20" x 10'	56120
24" x 10'	56240

Painted Galvanized (32 ga.) 10/skid		
Size	Part no.	Color
18" x 10'	5711835	Black
18" x 10'	5711833	Bronze
20" x 10'	5712019	Brown
20" x 10'	5712033	Bronze
20" x 10'	5712035	Black
24" x 8'	5712435096	Black
24" x 8'	5712419096	Brown
24" x 10'	57124	White
24" x 10'	5712419	Brown
24" x 10'	5712433	Bronze
24" x 10'	5712434	Gray
24" x 10'	5712435	Black

Painted Aluminum (.018") 10/skid		
Size	Part no.	Color
18" x 10'	5511835	Black
18" x 10'	55118015	Royal Brown

Copper (16 oz.) 10/skid	
Size	Part no.
18" x 10'	67118
24" x 10'	67124

Z-Bar



Unpainted unless otherwise noted

Galvanized Economy Profile (32 ga.) 50/pk	
Size	Part no.
1/2" x 10'	56512
3/8" x 10'	56514
5/8" x 10'	56515
7/16" x 10'	56516

Galvanized Standard Profile (32 ga.) 50/pk	
Size	Part no.
1/2" x 10'	56502
3/8" x 10'	56510
3/8" x 8'	566100096
5/8" x 10'	56511
7/16" x 10'	56576
3/4" x 10'	56534

Aluminum Economy Profile (.0145") 50/pk		
Pack qty.	Part no.	Color
1/2" x 10'	55512	White
1/2" x 10'	5551219	Brown
5/8" x 10'	55515	White
5/8" x 10'	5551519	Brown
7/16" x 10'	54516	-

Aluminum Standard Profile (.0145") 100/pk		
Pack qty.	Part no.	Color
5/8" x 10'	55511	White
5/8" x 10'	5551119	Brown
5/8" x 10'	54511	-

Z-Bar Profiles						
Economy			Standard			
3/8"	1"	1/2"	5/8"	2 3/16"	1 15/16"	2"

Termite Shield


Unpainted Galvanized (30 ga.)	Size	Pack Qty.	Part No.
	8" x 8"	25/bundle	85488
	9" x 17"	25/bundle	85497
<ul style="list-style-type: none"> • Termite shields protect home built on block supports. • These shields cap the blocks that raise the structure off of the ground. • Good for the Gulf States and other places where termites are prevalent. 			

Miscellaneous Flashing

Unpainted Galvanized Ridge Roll Cap (29 ga.)	Description	Pack Qty.	Part No.
	10' x 9"	10	56070

Unpainted Flashing Angle (.0167")	Description	Pack Qty.	Part No.
	120° 10' x 4½" x 4½"	10	54450
<ul style="list-style-type: none"> Rust-free aluminum 120 degree angle, used where roof and walls meet. Angle helps weatherproof this area Use for wall to roof weather-proofing junctions Cap wood to prevent water damage Longer length affords fewer seams 			

Unpainted Aluminum Rain Diverter (.020")	Description	Pack Qty.	Part No.
	60" x 7½" x 2½"	10	54020
<ul style="list-style-type: none"> Use over doorways where no gutter is in place Prevents roof runoff from waterfaling Rust-free aluminum with hemmed edges for strength and safety 			

Kick-Out Diverter (29 ga.)	Description	Pack Qty.	Part No.
	Unpainted Galvanized Steel	12	KOGA
	White Steel	12	KOWH
	Black Steel	12	KOBL
	Bronze Steel	12	KOBZ
	<ul style="list-style-type: none"> Meets the IRC 2009 code R905.2.8.3 that requires a 4" vertical Kickout Diverter Sidewall Flashing Diverts roof drainage away from wall into gutter. Avoids a source of mold problems and foundation damage Eliminates wall stains at roof line due to uncontrolled rainwater Electro galvanized steel or powder coated finish to suit your application Symmetrical construction can be used as Left or Right Diverter Easy step instructions attached to every KOD flashing bottom face 		

Pro-Master Ridge Vent™

See page A5 in the Appendix for more product information.

Description	Pack Qty.	Part No.
10½" x ¾" x 20'	1 roll/ctn, 36 ctn/skid	PMRV20
10½" x ¾" x 50'	1 roll/ctn, 16 ctn/skid	PMRV50
<ul style="list-style-type: none"> An economic and efficient way to ventilate your attic Easy to install and nail Nails included - both hand and power 		

AccuVent®

For proper airflow, an attic requires soffit vents at the eaves and a ridge vent at the roof peak. If soffits are blocked with insulation, airflow is blocked. Accuvent helps ensure proper attic ventilation by keeping soffits clear of insulation.



Description	Pack Qty.	Part No.
Soffit Insulation Baffle	50 pcs/bundle, 56 bundles/skid	ACCUVENT
<ul style="list-style-type: none"> Accuvent is 22.5" x 41" and is designed for all attic applications Installs with just 6 staples Perforated to adapt for varied roof truss spacing Provides efficient airflow Quick & easy installation, reduces costs of labor Prevents insulation drifting Prevents callbacks 100% Recycled PVC Meets new state building code requirements in MA, NH & RI specifying exterior wind wash barrier 		

Soffit & Fascia

MAINTENANCE FREE OVERHANG

T4 Aluminum Soffit (.019") 16/ctn

Color	Solid Part No.	Vented Part No.	
	T4SSGP (add 2-5 digits for color)	T4VSGP (add 2-5 digits for color)	
LG 30 WHITE	WTHP	WTHP	
BRIGHT WHITE	BWHHP	BWHHP	
AHP BROWN	BRHP	BRHP	
LIGHT MAPLE	LM	LM	
NATURAL CLAY	NC	NC	
A MUSKET BROWN	AMB	AMB	
PEARL GRAY	PG	PG	
SAVANNAH WICKER	SW	SW	
ROYAL BROWN	RB	RB	
BLACK	BL	BL	
SABLE BROWN	SAB	SAB	
GRECIAN GREEN	GG	GG	
DARK BRONZE	ADB	ADB	
ANTIQUE IVORY	AI	AI	
BUCKSKIN	BU	BU	
HERITAGE CREAM	HC	HC	
SANDSTONE BEIGE	SB	SB	
HERRINGBONE	HEHP	HEHP	

Moisture Protection

Ventilation Products

Soffit & Fascia

MAINTENANCE FREE OVERHANG

D6 Aluminum Soffit (.0185") 16/ctn			12" x 12' Aluminum Soffit (.0185") 20/ctn		
Color	Solid Part No. SSGP (add 2-3 digits for color)	Vented Part No. VSGP (add 2-3 digits for color)	Color	Solid Part No.	Vented Part No.
LG 30 WHITE	WH	WH	LG 30 WHITE	77101	77102
BRIGHT WHITE	BW	BW	BRIGHT WHITE	77101182	77102182
AHP BROWN	BR	BR	GREEN	77101181	77102181
LIGHT MAPLE	LM	LM	PEBBLESTONE CLAY	7710185	7710285
NATURAL CLAY	NC	NC	AHP BROWN	7710119	7710219
A MUSKET BROWN	AMB	AMB	BRONZE	7710133	7710233
PEARL GRAY	PG	PG	CLAY	7710144	7710244
SAVANNAH WICKER	SW	SW	A MUSKET BROWN	7710159	7710259
ROYAL BROWN	RB	RB			
BLACK	BL	BL			
SABLE BROWN	SAB	SAB			
GRECIAN GREEN	GG	GG			
DARK BRONZE	ADB	ADB			
ANTIQUE IVORY	AI	AI			
BUCKSKIN	BU	BU			
HERITAGE CREAM	HC	HC			
SANDSTONE BEIGE	SB	SB			

Note- When product is installed in Florida see Approval # FL 5896 for installation with specific adherence to the 2004 Florida Building Code. http://floridabuilding.org/pr/pr_detl.asp?IPT=5896&RV=0&fm=ROSrch

16" x 12' Aluminum Center Vent 4 Panel Soffit (.0185") 12/ctn (actual product shown below at right)

Color	Solid Part No.	Vented Part No.
WHITE	-	77117
BROWN	-	7711719

10" x 12' QLOK Aluminum Soffit (.019") 10/ctn (profile below, actual product not shown)

Color	Solid Part No.	Vented Part No.
WHITE	QS10WA	QV10WA
ROYAL BROWN	QS10BA	QV10BA
CLAY	QS10CL	QV10CL
Dark Bronze	QS10DB	QV10DB

15" x 12' QLOK Aluminum Soffit (.019") 12/ctn (profile below, actual product not shown)

Color	Solid Part No.	Vented Part No.
White	QS15WA	QV15WA
Royal Brown	QS15BA	QV15BA

12" x 12' TRAPLOK Aluminum Soffit (.019") 10/ctn (profile below, actual product not shown)

Color	Solid Part No.	Vented Part No.
White	SV12WA	LV12WA
Royal Brown	SV12BA	LV12BA
Dark Bronze	SV12DB	LV12DB

~Air Flow for Vented Soffit is 6 square inches per 1 square foot.



Soffit & Fascia

HANGER CHOICES FOR ALUMINUM SOFFIT - ALUMINUM CHANNEL 12'

Color	1/2" J Channel 50/ctn (.019")	3/4" J Channel 50/ctn (.019")	1/2" F Channel 25/ctn (.0175")	Crown Moulding 25/ctn	Double Channel - 10/ctn
	White	JA50EW	J-34WA		
Royal Brown	JA50BA	-	FA50-B	-	-
Dark Bronze	JA50DB	-	FA50DB	-	-
Brown	-	-	7701419	7701019	-
Musket Brown	-	-	FA50MB	-	-
Clay	JA50CL	-	7701444	-	-
White/White	-	-	77814 ♦	-	-
Brown/Brown	-	-	7781419 ♦	-	-
Bright White	-	-	77814182 ♦	-	-
A Musket Brown	-	-	7701459	-	-
Pebblestone Clay	-	-	7701485	-	-

♦ Painted on Both Sides

Color	1/2" J Channel 50/ctn (.0175")
LG 30 WHITE	77012
BRIGHT WHITE	77012182
AHP BROWN	7701219
LIGHT MAPLE	7701228
NATURAL CLAY	7701279
A MUSKET BROWN	7701259
PEARL GRAY	7701253
SAVANNAH WICKER	7701246
ROYAL BROWN	7701215
BLACK	7701235
SABLE BROWN	77012033
GRECIAN GREEN	7701218
DARK BRONZE	7701251
ANTIQUE IVORY	7701229
BUCKSKIN	7701221
HERITAGE CREAM	7701227
SANDSTONE BEIGE	7701274
HERRINGBONE	77012220
Pebblestone Clay	7701285



Ventilation Products



Ventilation Products

Soffit & Fascia

FASCIA - ALUMINUM 12'

Color	Size	(.024") 12/ctn Hemmed
LG 30 WHITE	6"	77223
	8"	77224
BRIGHT WHITE	6"	77223182
	8"	77224182
AHP BROWN	6"	7722319
	8"	7722419
LIGHT MAPLE	6"	7722328
	8"	7722428
NATURAL CLAY	6"	7722344
	8"	7722444
A MUSKET BROWN	6"	7722359
	8"	7722459
PEARL GRAY	6"	7722353
	8"	7722453
SAVANNAH WICKER	6"	7722346
	8"	7722446
ROYAL BROWN	6"	7722315
	8"	7722415
BLACK	6"	7722335
	8"	7722435
SABLE BROWN	6"	77223033
	8"	77224033
GRECIAN GREEN	6"	7722318
	8"	7722418
DARK BRONZE	6"	7722351
	8"	7722451
ANTIQUÉ IVORY	6"	7722329
	8"	7722429
BUCKSKIN	6"	7722321
	8"	7722421
HERITAGE CREAM	6"	7722327
	8"	7722427
SANDSTONE BEIGE	6"	7722374
	8"	7722474
BRONZE 33	6"	7722333
	8"	7722433
Pebblestone Clay	6"	7722385
	8"	7722485

Color	Size	(.0175") 12/ctn	(.024") 25/ctn	(.019") 25/ctn
White	4"	77106	FAS4WA	-
	6"	77103	FAS6WA	FA96WA
	8"	77104	FAS8WA	-
	10"	77105	FAS1WA	-
Royal Brown	4"	-	FAS4BA	-
	6"	-	FAS6BA	-
	8"	-	FAS8BA	-
	10"	-	FAS1BA	-
Brown	4"	7710619	-	-
	6"	7710319	-	-
	8"	7710419	-	-
Clay	6"	7710344	FAS6CL	-
	8"	7710444	FAS8CL	-
Dark Bronze	6"	-	77116048	-
Bronze	6"	7710333	-	-



DrySnap®

See page A6 in the Appendix for more product information.

UNDER DECK RAIN CARRYING SYSTEM




- Maximize your outdoor living space
- Vinyl ceiling panels collect and drain water to provide a dry space
- Provide a maintenance free ceiling that covers the unsightly underside of your deck
- Easy snap-together installation under any raised deck
- All weather protection
- 10 year limited warranty

U.S. Patent 7,434,358



Description	Carton Qty.	Part No.	
Combo Panel	12'	12	37324
	16'	9	37325
Starter Channel	12'	12	37320
	16'	12	37321
Trim Cap	12'	12	37331
Joist Bracket	2'	36	37341
Pitch Spacers	32/bag	12	37351PK
2.5" Screws	50/pack	8	84178PK
3.5" Screws	50/pack	8	84179PK
6.5" Gutter Screws & Ferrules	10/package	12	84181PK
Zip Screws	40/pack	25	84182



Vinyl Railing


RAILING KITS



	Description	White	Clay	Sand
COLONIAL TURNED SPINDLE	6' x 36" Line Rail	KS0L6-36	-	-
	8' x 36" Line Rail	KS0L8-36	-	-
	10' x 36" Line Rail	KS0L10-36	-	-
	6' x 42" Line Rail	KS0L6-42	-	-
	8' x 42" Line Rail	KS0L8-42	-	-
	10' x 42" Line Rail	KS0L10-42	-	-
	6' x 36" Stair Rail	KS0S6-36	-	-
	8' x 36" Stair Rail	KS0S8-36	-	-
CLASSIC SQUARE BALUSTER	6' x 36" Line Rail	KB0L6-36	KB3L6-36	KB5L6-36
	8' x 36" Line Rail	KB0L8-36	KB3L8-36	KB5L8-36
	10' x 36" Line Rail	KB0L10-36	KB3L10-36	KB5L10-36
	6' x 42" Line Rail	KB0L6-42	KB3L6-42	KB5L6-42
	8' x 42" Line Rail	KB0L8-42	KB3L8-42	KB5L8-42
	10' x 42" Line Rail	KB0L10-42	KB3L10-42	KB5L10-42
	6' x 36" Stair Rail	KB0S6-36	KB3S6-36	KB5S6-36
	8' x 36" Stair Rail	KB0S8-36	KB3S8-36	KB5S8-36

Example Only- kit components vary by size and style

POSTS, CAPS & TRIM



• 4" x 4" Classic posts, sleeve over 4x4 lumber, available in 5 heights
• Post Wraps - easy retrofit with 2-piece design, includes trim and fasteners

Description	White	Clay	Sand
39" Classic Post	P0U36	P3U36	P5U36
45" Classic Post	P0U42	P3U42	P5U42
60" Classic Post	P0U60	-	-
96" Classic Post	P0U96	-	-
120" Classic Post	P0U120	P3U120	P5U120
39" Classic Half Post	P0H36	P3H36	P5H36
45" Classic Half Post	P0H42	P3H42	P5H42
4" x 4" x 108" Post Wrap	P0W14R	P3W14R	P5W14R
6" x 6" x 108" Post Wrap	P0W16R	P3W16R	P5W16R

Vinyl Railing

POSTS, CAPS & TRIM



Colonial Turned Posts

- 4x4 Colonial posts available in 2 heights
- Heavy duty premium vinyl
- Only mounts on KP0SP4_ Anchors, not over 4x4 wood post

Description	White	Clay	Sand
39" Colonial Post	P0C36	-	-
45" Colonial Post	P0C42	-	-

Structural Porch Posts

- 5" x 5" x 108" Structural Porch Posts
- Includes painted mounting plates and all fasteners
- Meets building code requirements for loading bearing and uplift resistance

Description	White	Clay	Sand
Classic	P0PP22	P3PP22	P5PP22
Colonial	P0PP21	P3PP21	P5PP21

Post Caps and Trim

- Universal Post Trim and Solar Lighted Cap fit 4" x 4" and 5" x 5" posts
- Solar Lighted Cap backed by 2-year warranty!
- Four LEDs, over-sized solar panel - up to 12 hours of night lighting!

Description	White	Clay	Sand
Universal Post Trim	P0F1U	P3F1U	P5F1U
4" x 4" One Piece Trim	R0PTF2	R3PTF2	R5PTF2
5" x 5" Porch Post Trim	R0PPF1	-	-
4" x 4" Square Cap	P0C14	P3C14	P5C14
4" x 4" New England Cap	P0C24	P3C24	P5C24
4" x 4" Ball Cap	P0C34	P3C34	P5C34
Premium Solar Lighted Cap	P0C44	-	-



Vinyl Railing

OPTIONAL ACCESSORIES



Connectors and Adapters				Description			White	Clay	Sand
				Line Connectors (Set of 4)	R0WB2	R3WB2	R5WB2		
				22½" Line Adapters (Set of 4)	A0AL1	A3AL1	A5AL1		
				45" Line Adapters (Set of 2)	A0AL2	A3AL2	A5AL2		
				Round Line Adapters (Set of 2)	A0AL3	A3AL3	A5AL3		
				Stair Connectors (Set of 4)	A0CS2	A3CS2	A5CS2		
				3" Stair Adapters (Set of 4)	A0AS1	A3AS1	A5AS1		
				Round Stair Adapters (Set of 2)	A0AS2	A3AS2	A5AS2		

• 1 Connector set included with each Railing Kit
• Order extra Connector sets when cutting rails into multiple sections

Anchors and Hardware		Description		Light Duty	Heavy Duty
	Fastening to Wood • Includes all hardware for surface mount on wood • Corrosion resistant galvanized hardware • Includes ACQ protective gaskets • Easy to plumb, no shimming required!		Fastening to Concrete • Includes all hardware for surface mount on concrete • Corrosion resistant galvanized hardware • Easy to plumb, no shimming required!	Post Anchor Kit KP0SP4W	Post Anchor Kit KP0SP4C

Glass Panel System				Gate Kits			
	• 1/4" clear tempered glass • Meets building codes	• Custom panels call 800-461-5706					
Actual length 67-13/16" - Installs on 6" post centers				• Pre-assembled for 36" wide openings and 36" high railings • Includes self-closing hinges, locking latches and all hardware			
Description	White	Clay	Sand	Description	White	Clay	Sand
6' Line Rail (for Glass Panel)	R0LP16	R3LP16	R5LP16	36" Classic Gate Kit	KG0B136	KG3B136	KG5B136
Tempered Glass Panel		36" - PCL1636 42" - PCL1642		36" Colonial Gate Kit	KG0S136	-	KG5S136

Vinyl Railing

CONTINUOUS HANDRAIL SYSTEM



- Meets all ADA and building code requirements
- Provides accessibility to ramps, stairwells, and staircases
- For use in residential and commercial applications
- Maintenance free
- Guaranteed for life

CONTINUOUS HANDRAIL COMPONENTS

Description	White
1-½" x 104" Reinforced Handrail	R0H15
Outside Corner	R0HOC
Inside Corner Bracket	R0HIB
Line Bracket	R0HLB
90° Return	R0HR90
Inside Corner	R0HIC
"P" Loop	R0HPL
36° Elbow	R0HE36
32° Elbow	R0HE32
5° Elbow	R0HE5
Line Connector	RDHLC
Adjustable Connector	RDHAC
End Caps (pair)	R0HC-PR
Mounting Block	RCHMB

Outdoor Living Products

Outdoor Living Products


See page A7 in the Appendix for information on snow guard installation and warranty.

Snow Guards for Shingle, Slate, Synthetic Slate, Tile and Shake Roofing

Snow Guards are intended to prevent snow movement and provide for the controlled melt and breakdown of the snow mass into smaller sections, reducing the potential for snow and ice damage to gutters, foundation plantings, parked vehicles, adjacent roofs and equipment, and injury to pedestrians.

Berger Snow Rail for Standing Seam Metal Roofing

SNOW RAIL FOR STANDING SEAM METAL ROOFS




Mullane Snow Guards - Specialty Snow Retention for Traditional Slate Roofing


SNOW GUARDS FOR SLATE, TILE, SHINGLE & SHAKE ROOFS



TWO & THREE RAIL PRODUCTS FOR SHINGLE, SLATE & SPECIALTY TILE ROOFS



For More Information on Our Complete Line of Snow Retention Products, Call Amerimax 800-347-2586


Description	Pack Qty.	Available Colors and Part Numbers	
		Part Number	Available Colors/Materials
 <p>#100 HP</p>	12	85072009	Stainless Steel
	12	SGC100HP	Copper
 <p>#100HP - This economical guard is attached to a shorter, solid bar/strap, and is designed for easy installation on shingle roofs</p>	#100 Snow Guard Assembly		
	50	SGC100	Copper
	50	SGS100	Stainless Steel
 <p>#100 Assembly - This guard has eliminated the necessity of removing slate, avoiding the possibility of breakage. Simply insert the slotted bar under the slate or shingle, engage a nail with one of the conveniently placed slots and pull down to fully secure bar. This style snow guard provides fast installation and is ideal for existing or new construction applications with asphalt shingled roofs.</p>	#100 Assembly		
	50	SGG100	Galvanized
	50	SGG100	Galvanized
 <p>Pro 100 Snow Guard Assembly for Slate & Asphalt Roofs</p>	50	SGCP100	Copper
	50	SGSP100	Stainless Steel
	50	SGSP100	Stainless Steel
 <p>Pro#100 - This heavy-duty snow guard is available in copper and stainless steel for corrugated, flat, slate and asphalt shingled roofs. The superior design of the Pro 100 includes a 1-inch gusset that reinforces the shoe, which makes this snow guard 5 times stronger than traditional residential snow guards. Simply insert the slotted bar under the slate or shingle, engage a nail with one of the conveniently placed slots and pull to fully secure the bar. This style guard provides fast installation and is ideal for existing or new construction application with asphalt shingled roofs.</p>	Pro#100		
	50	SGML-2	Galvanized Malleable Iron
	50	SGBR-2	Bronze
 <p>#2 Snow Guard Assembly for Slate Roofs (Heavy Duty)</p>	#2		
	50	SGML-2	Galvanized Malleable Iron
	50	SGBR-2	Bronze
 <p>#95 Snow Guard Assembly for Slate Roofs (Heavy Duty Ornamental)</p>	#95		
	30	SGML95	Galvanized Malleable Iron
	30	SGBR95	Bronze
 <p>#95 - This heavy-duty guard with Gothic styling designed to transfer snow and ice loads more effectively to reduce cracking of the slate. It is normally installed during the slate roof application, but is fit for use with wood shake, tile and mineral surfaced shingles. Excellent in areas that receive heavy snows! This is not a retrofit product.</p>	30	SGAL95	Aluminum
	30	SGAL95	Aluminum
	30	SGAL95	Aluminum



Snow Guards for Shingle, Slate, Synthetic Slate, Tile and Shake Roofing

See page A7 in the Appendix for information on snow guard installation and warranty.

Typical spacing for shingle, slate, synthetic slate, tile and shake roofing



Do not place Snow Guards beyond the bearing wall on an extended roof section. Appendix page A7 for general installation information.

Snow Guards for Metal Roofs

Description	Pack Qty.	Available Colors and Part Numbers	
		Part Number	Available Colors/Materials
 <p>RT Snow Guard (For Standing Seam Metal Roofs- Seam Mounted) RT-200 - 0.188" (3/16") wide and 1.125" tall</p> <p>RT300 - 0.28" (9/32") wide and 1.125" tall</p> <p><i>Custom Color Orders have a three week lead time</i></p> <p>RT Snow Guards are non-penetrating devices which are secured to the standing seams of metal roofs utilizing stainless steel set screws to clamp them in place and will not restrict thermal movement. Available in mill finish, primer finish and cast bronze (for copper roofs), they are particularly suited to double-lock and mechanically seamed metal roofing.</p> <p>RT-200: will accommodate seams up to 0.188" (3/16") wide and 1.125" tall. RT-300: will accommodate seams up to 0.28" (9/32") wide and 1.125" tall</p>	100	RT200M	Mill Finish Aluminum
	100	RT200E	E-Coat Black Primer
	100	RT200B	Bronze
	100	RT200C	Custom Colors
	100	RT300M	Mill Finish Aluminum
	100	RT300E	E-Coat Black Primer
	100	RT300B	Bronze
	100	RT300C	Custom Colors

Snow Guards for Metal Roofs

See page A7 in the Appendix for information on snow guard installation and warranty.

Description	Pack Qty.	Available Colors and Part Numbers	
		Part Number	Available Colors/Materials
 <p>AP Snow Guard AP-400 0.40" (5/8") wide and 1.75" tall</p> <p>AP-516 0.516 (1/2") wide and 1.75" tall</p> <p><i>Custom Color Orders have a three week lead time</i></p> <p>AP Snow Guards are non-penetrating devices which are secured to the standing seams of metal roofs utilizing stainless steel set screws to clamp them in place and will not restrict thermal movement. The wide, deep blade design makes it particularly effective in retaining snow with the higher seams and wider panel widths common in preformed architectural roofing.</p> <p>AP-400M will accommodate seams up to 0.40" (5/8") wide and 1.75" tall AP-516M will accommodate seams up to 0.516" (1/2") wide and 1.75" tall</p>	50	AP400M	Mill Finish Aluminum
	50	AP400E	E-Coat Black Primer
	50	AP400C	Custom Colors
	50	AP516M	Mill Finish Aluminum
	50	AP516E	E-Coat Black Primer
	50	AP516C	Custom Colors
 <p>SL-1 Snow Guard</p> <p><i>Custom Color Orders have a three week lead time</i></p> <p>SL-1- This popular snow retention product is designed to fit 1" Snap Lock Panel. The throat width has been increased to 41/64" (0.64") and a leg lip has been added to allow the guard to "snap" over the seam for a smooth and quick installation.</p>	50	SL-1MF	Mill Finish Aluminum
	50	SL-1EBK	E-Coat Black Primer
	50	SL-1C	Custom Colors
 <p>SM Snow Guard Surface Mount (Surface Mounted)</p> <p><i>Custom Color Orders have a three week lead time</i></p> <p>SM- Surface Mount Snow Guards are manufactured of cast aluminum and are designed to be adhered to the pan surface of prefinished metal roofs using either a high strength construction adhesive or a combination of mechanical fasteners and an adhesive/sealant. They are particularly effective in retaining snow and ice on metal roofs where there are no suitable seams to which a seam mounted device can be fastened, including batten and cap seam panels.</p>	50	SMMFSG	Mill Finish Aluminum
	50	SMEASG	E-Coat Primer
	50	SMCASG	Custom Colors
 <p>640 Snow Guard</p> <p><i>Custom Color Orders have a three week lead time</i></p> <p>640 - These are designed to fit between the stiffening ribs of residential metal roof panels. They have a low visibility and can be custom painted to blend with roof materials. They can be attached with adhesives, screws or a combination of both. Not for use with panels with seams or ribs more than 12 inches apart.</p>		640M	Mill Finish Aluminum
		640E	E-Coat Black Primer
		640C	Custom Colors
 <p>Clear Snow Guard Structural Rib</p> <p>Clear Snow Guard Surface Mount</p> <p><i>Structural Rib</i></p> <p><i>Surface Mount</i></p> <p>Clear Snow Guards are manufactured in a high clarity polycarbonate plastic with U.V. stabilizers which provide strength and longevity. The Structural Rib guard is designed to fit over stiffening rib on residential panels. The Surface Mount are particularly effective in retaining snow and ice on metal roofs where there are no suitable seams to which a seam mounted device can be fastened, including batten and cap seam panels. Both have a low visibility and blend with roof materials and can be attached with adhesives, screws or a combination of both.</p>	50	8505022	Clear Plastic
	50	8505011	Clear Plastic
 <p>#100 Snow Guard for Flat Metal Roofs (Surface Mounted)</p> <p><i>#100 Shoe- Ideal for mounting to ribbed or flat roof panels. Available in stainless steel and copper (for copper roofs) they can be mechanically fastened or soldered. Do not use adhesives to secure, only to keep water out. Not for use with panels with seams or ribs more than 12 inches apart.</i></p>	50	SG-CPS	Copper
	50	SG-SSS	Stainless Steel
 <p>#20 Snow Guards for Metal Corrugated Roofs (Surface Mounted)</p> <p><i>#20- Designed to fit the on the crown (top) of 1-1/4" or 2-1/2" rounded corrugated roofing. Use neoprene washer screws to fasten. This is also available in bronze for use on copper roofs. Do not use adhesives to secure, only to keep water out.</i></p>	100	SGBR20	Bronze
	100	SGML20	Galvanized Malleable Iron


Snow Guards for Metal Roofs

See page A7 in the Appendix for information on snow guard installation and warranty.

Description	Pack Qty.	Available Colors and Part Numbers	
		Part Number	Available Colors/Materials
 Mini Snow Guard Plastic Mini Clear Snow Guards are manufactured in a high clarity polycarbonate plastic with U.V. stabilizers which provide strength and longevity. These are designed to fit between the stiffening ribs of residential metal roof panels. They have a low visibility and blend with roof materials. They can be attached with adhesives, screws or a combination of both. Not for use with panels with seams or ribs more than 12 inches apart.	100	85040	Clear Plastic
 SB-190 Surebond Everseal SB-190 is a field proven sealant adhesive. This unique formula possesses up to 2000 lbs. of tensile strength, but requires 28 consecutive days (672 consecutive hours) with temperatures of 50 degrees Fahrenheit or greater to fully cure. Under certain conditions, temporary measures may need to be employed to hold the snow guard in place until initial set of adhesive has taken place. One tube will adhere 8-10 CL Snow Guards and 14-16 RTMINI Guards. The adhesives are offered for the convenience of the user who assumes full responsibility for its use. These adhesives are used throughout the industry for adhering snow guards with successful results utilizing the directions of the adhesive manufacturer. Adhesive failure does not constitute Amerimax products defect and is not the responsibility of Amerimax.	24	SB-190	-

Typical spacing for shingle, slate, synthetic slate, tile and shake roofing

Typical Spacing for Metal Roofing



Horizontal spacing will be dictated but how far apart the metal seams or ribs. Shown is a typical RTMINI application on a 9" or 12" center rib panel. Do not place Snow Guards beyond the bearing wall on an extended roof section. Please see Appendix page A7 for general installation information.

Aluminum Snow Panels

	Snow Panel - 30" x 34 3/4" (.018)	12	53025
	Rake Cap 36"	12	53027
	Hardware Pack	12	53029PK
	SeamerMate® Sealant	12	85148
Aluminum Snow Panels are used to reduce ice damming at the roof's edge. Not for use in valley sections of shingle roofs.			

Completed Snow Panel Installation



• Helps Prevent Snow and Ice Dams along Roof Line • Helps Extend Roof Life



Use SeamerMate® sealant (page 73 for more information)



Wide Flange Pliers Metal Bender (page 75 for more information) being used to crimp panels together.



Corner Bead

PVC (.035")

Bull Nose Archway		
Description	Pack Qty.	Part No.
3/4" x 8' (slotted)	50	37138
3/4" x 10' (slotted)	50	37140

Bull Nose		
Description	Pack Qty.	Part No.
3/4" x 8'	50	37188
3/4" x 10'	50	37190

J Bead		
Description	Pack Qty.	Part No.
1/2" x 8'	60	37110
1/2" x 10'	60	37120
5/8" x 8'	50	37128
5/8" x 10'	50	37130

Corner Bead		
Description	Pack Qty.	Part No.
1 1/4" x 8'	50	37102
1 1/4" x 10'	50	37100

L Bead		
Description	Pack Qty.	Part No.
1/2" 10' (Peel-Away)	50	37150
5/8" x 10'	80	37170

Archway Bead		
Description	Pack Qty.	Part No.
1 1/4" x 8' (slotted)	50	37178

Galvanized (30 ga)

Corner Bead Galvanized		
Description	Pack Qty.	Part No.
1 1/4" x 1 1/4" x 8'	63	58102
1 1/4" x 1 1/4" x 9'	50	58090
1 1/4" x 1 1/4" x 10'	50	58100

J Bead Galvanized		
Description	Pack Qty.	Part No.
1/2" x 8'	63	58110

Bull Nose Galvanized		
Description	Pack Qty.	Part No.
8'	30	58188
10'	25	58190

Caulks & Sealants

FlashMate®		Color	Pack Qty.	Part No.
 <p>NEW Product one quart can</p>	Professional grade brushable sealant for flashing applications now available in a convenient quart size can!	Clear	12 - 10 oz. cartridges/ctn	85228
	<ul style="list-style-type: none"> All weather application, will not freeze Withstands water contact immediately to stop leaks Stays flexible, will not crack Mildew resistant and paintable Prevents rust on any metal surface VOC compliant 	Clear	6 - 1 quart cans/ctn	85229



SeamerMate®	Pack Qty.	Description	Part No.
	12	10 oz. Cartridge, 4% VOC CONTENT	85148
	12	10 oz. Cartridge *CARB VOC compliant 1% VOC CONTENT	85150
	24	1 oz. Tubes *CARB VOC compliant	85127

- Permanent Bond Guaranteed
- Semi-self leveling
- Paintable
- Works on wet surfaces
- UV Resistant
- * Meets California VOC requirements

Touch-Up Paint

Spray Paint	Pack Qty.	Description	Part No.
	12	White	85241
	12	Brown	85242
	12	80° Hi Gloss White	8524020
	12	Musket Brown A	8524059
	12	Pebblestone Clay	8524085

- Great for touching up scratches
- Protects metal from weather
- Dries quickly
- 4.5 ounce spray can

15 other colors in 12 oz. cans to match any decor available through special order
Add 2 or 3 digit color code to 13TUP_ _ _

*80W	○ 80° Hi Gloss White	*MB	● Musket Brown A
*AI	○ Antique Ivory	*CL	● Natural Clay
*BL	● Black	*PG	● Pearl Gray
*BU	○ Buckskin	*RB	● Royal Brown
*DBZ	● Dark Bronze	*200	● Sable Brown
*GG	● Grecian Green	*SB	○ Sandstone Beige
*032	○ Heritage Cream	*SW	● Savannah Wicker
*069	○ Light Maple		

Rivets, Nails & Screws

Rivets	Description	Pack Qty.	White	Brown	Clay	High Gloss White	Royal Brown	Copper
	Aluminum 1 1/2" Long							
	1,000 per carton #42	1	-	-	-	A42ABW	PRRBBX	-
	Aluminum 1/8"							
	100/pack	10 pks	84025	84034	84044PK	-	-	-
	Copper							
	500 per carton #42	1	-	-	-	-	-	A42CPB

1 1/4" Trim Nails To match Trim Coil or Soffit. 1/4 # Pack (approx. 320 nails)								
Color	Part No.	Pack Qty.	Color	Part No.	Pack Qty.	Color	Part No.	Pack Qty.
Brown	7769019	6/ctn	Grecian Green	7709018	2/ctn	Savannah Wicker	77090046	2/ctn
Royal Brown	7709015	2/ctn	Heritage Cream	77090027	2/ctn	Lomar White	77090PK	24/ctn
ALC Musket Brown	7769059	6/ctn		Herringbone	77090022	2/ctn	Bright White	77090182
AMP Dark Bronze	7709051	2/ctn	Light Maple	77090028	2/ctn	Bronze	7709033	24/ctn
Antique Ivory	7709029	2/ctn	Natural Clay	7709079	2/ctn	Woodland Mist	7709036	2/ctn
Black	7709035	2/ctn	Pearl Gray	7709053	2/ctn	Pacific Blue	7709038	2/ctn
	7769035	6/ctn	Pebble Stone Clay	7709085	2/ctn	Granite Gray	7709047	2/ctn
Buckskin	7709021	2/ctn		Sable Brown	77090033	2/ctn	Cypress	7709054
Glacier Blend	7709037	2/ctn	77690033	6/ctn	Ivy Green	7709061	2/ctn	
Barn Red	7709012	2/ctn	Sandstone Beige	7709074	2/ctn	Desert Tan	7709077	2/ctn
Summer Wheat	7709024	2/ctn	Silver Ash	7709032	2/ctn	Tuxedo Gray	7709088	2/ctn
Musket Brown	7709030	2/ctn	Sterling Gray	7709031	2/ctn	Autumn Yellow	7709034	2/ctn

Copper Nails 1 1/4"	Pack Qty.	Part No.	Sheet Metal Screws	Description	Pack Qty.	White	Brown	Clay
	12/ctn	67003PK		8/card	25	85354	85355	85364
				100/pack	24	85361	85369	-

Screws	Description	Pack Qty.	White
	1 1/2"	25	L0615
	<ul style="list-style-type: none"> For vinyl gutter hooks Self tapping wood screw 		


Metal Bender & Blades

Metal Bender	Description	Pack Qty.	Part No.	Bender Accessory Blades	Description	Pack Qty.	Part No.
	Pliers 3 1/2" Wide Jaw	12/ctn	85028		7" & 10"	12/ctn	85030
					<ul style="list-style-type: none"> Replacement/accessory blades Includes one 7" and one 10" blade Compatible with Metal Bender Pliers (85028) 		

Wall Ties & Utility Sheet

Galvanized Wall Ties	Description	Pack Qty.	Part No.	Roof Rafter Brackets	Pack Qty.	White
	7/8" x 7" (28 ga)	500/ctn	85131		50	L3250


Utility Trim & Starter Strip

Aluminum Utility Trim	Description	Pack Qty.	High Gloss White	Siding Starter Strip	Description	Pack Qty.	Part No.
	(.017")	50/ctn	UT19WA		118" Galvanized (No UPC)	20/ctn	56280
					118" Aluminum	40/ctn	54280
					10' Galvanized	20/ctn	56280

Siding Corners

Aluminum Siding Corners	Description	Pack Qty.	Part No.
	8" Embossed	100/ctn	61008
	9" Smooth	100/ctn	61025
	12" Embossed	100/ctn	61012
	12" Smooth	100/ctn	61026

Wind T Bracing & Joist Bridging

Wind T Bracing	Description	Pack Qty.	Part No.	Joist Bridging	Description	Pack Qty.	Part No.
	11' x 3 3/4" Galvanized (20 ga)	12/ctn	56617		20" Galvanized (24 ga)	200/ctn	85225

Point of Purchase

Amerimax offers extensive support with informative POP signage, literature, displays and samples to support selling products at retail.

We can help you customize a planogram to suit your needs.



Gutter & Accessories Store Sets

- Includes Gutter, downspouts and all system components
- Signage providing installation images

- Tear Pads show installation steps and all system and accessory parts for a complete gutter installation



Point of Purchase



Flashing & Trim Coil Store Sets

- Extensive color choices and gauges
- Tools and adhesives for installation also available
- Color match for popular vinyl siding and window manufacturers



Gutter Guard Store Sets

- Gutter Guards for every type of gutter and price point
- Attractive signage
- Great 3 or 4 foot end-cap opportunity



Gutter Accessories Store Sets


- Gutter Accessories for effective drainage and foundation protection
- Attractive signage
- Great 3 or 4 foot end-cap opportunity

Point of Purchase

Point of Purchase

Gutter Assembly

See pages 5-32 for product ordering information.




Things to Consider When Planning Your Roof Drainage System

- 2" round downspout drains 75 gallons a minute
- Standard (2x3) downspout drains 186 gallons a minute
- Commercial (3x4) downspout drains 434 gallons per minute
- 5" gutter systems can use 2x3 or 3x4 downspouts
- 6" gutter systems use 3x4 downspouts only
- Increasing the size or number of downspouts is recommended for large roof areas and/or regions with high rainfall
- See page A3 for Rainfall Intensity Map

For more information visit AmerimaxHP.com


See Roof Drainage Systems section, starting on page 5

Average House Rancher Average House w/Garage Average House Hip Roof



	Average House Rancher	Average House w/Garage	Average House Hip Roof	Average of three jobs	15 houses	10 houses	5 houses
	50'	20' 40'	30' 40'				
	20' 20'	20' 40'	30' 30'				
	5' 10' 5'		40'				
	110 total feet of gutter	120 total feet of gutter	140 total feet of gutter				
	Number of Pieces Needed	Number of Pieces Needed	Number of Pieces Needed	Average of three jobs	Number of Pieces Needed		
1. Gutter 10'	11	12	14	13	195	130	65
2. Downspout 10'	4	4	4	4	60	40	20
3. Inside Miter	2	0	0	2	30	20	10
4. Outside Miter	2	0	4	4	60	40	20
5. Left End Cap	2	4	0	4	60	40	20
6. Right End Cap	2	4	0	4	60	40	20
7. Downspout Bands	8	8	8	8	120	80	40
8. Connectors/Seamers™	19	12	18	17	255	170	85
9. End with Drops	4	4	4	4	60	40	20
10. Downspout Extension	4	4	4	4	60	40	20
11. Front Elbow	12	12	12	12	180	120	60
12. Side Elbow	2	2	2	2	30	20	10
Spikes & Ferrules							
Screws & Ferrules							
Fascia Brackets	Every 24"	Every 24"	Every 24"	60	900	600	300
Hidden Hangers	50	60	70	60	Brackets	Brackets	Brackets
Roof Hanger w/Strap							
Snap Lok Brackets							
Outlets	4	4	4	4	60	40	20
Rivets							
Screws	60	60	60	60	900	600	300
SeamerMate®	3	3	3	3	45	30	15
Splashblocks	4	4	4	4	60	40	20

Rainfall Intensity Map



Rainfall intensity is measured in inches per hour. Capacity of residential gutters should be planned to handle the most intense five minute burst of rain that is likely to occur. Find the maximum rainfall intensity for your area on the map.

Popular Hanger Choices

See pages 19-21 for product ordering information.

	<p>Hidden Hanger w/ Screw</p> <p>1/4" hex head screw, power drive in fascia board.</p>		<p>Hidden Hanger</p> <p>Requires nail or screw.</p>
	<p>Hidden Hanger w/Roof Strap</p> <p>Only use when no fascia board exists. Follow directions printed on hanger bag.</p>		<p>Fascia Bracket</p> <p>4 per pack includes hanging nails.</p>
	<p>Snap Lok Bracket</p> <p>Nails or screws required. Fasten to fascia board along sloped string guide line. Place gutter into bracket, snap top bar into slot and front bracket.</p>		<p>Spike and Ferrule</p> <p>Insert ferrule into gutter and hammer spike through gutter, ferrule and fascia board.</p>
		<p>Screw and Ferrule</p> <p>Insert ferrule into gutter and using the bit provided, drill the screw through the gutter, ferrule and fascia board.</p>	

Ventilation

See page 57 for product ordering information.


HOW IMPORTANT IS THE AIR WE BREATHE?

Facts
In the US, about 17 million people have asthma and up to 30% of them are sensitive to molds and fungal allergens. (Western Roofing 2001)
It is estimated that 25% of airways disease and 60% of interstitial lung disease may be associated with moisture in the home or work environment, (HUD 2001) and where there is moisture, there is most definitely mold.

Symptoms
A poorly ventilated attic means...

- Increased moisture condensation → Prime condition for the growth of molds and fungal allergens
- Less effective insulation due to moisture → Higher heating bills
- Excessive heat build-up → Higher cooling bills
- Shorter lifespan for the roof → Long-term structural degradation of the attic structure

Pro-Master Ridge Vent™




- 1. Roof Sheathing
- 2. Roof Saver Ridge Vent
- 3. Cap Shingle
- 4. Hot, Moist Attic Air
- 5. Negative Pressure
- 6. Exhaust Air

Air flow across the exterior roof ridge draws hot, moist attic air out through the Ridge Vent and pulls fresh air into the attic through the soffit vents. Removal of hot, moist air from the attic reduces cooling costs and eliminates potential damage to your roof.

In today's market homeowners need to know the air they breathe is safe. Clean Air Begins in the Attic. Pro-Master Ridge Vent™

Pro-Master Ridge Vent™ Benefits

- Deters the growth of mold and mildew
- Keeps attic dry deterring rot and structural degradation
- Green Product- made with RECYCLED post industrial fiber.
- No maintenance or operating cost
- UL Class A Fire Rating
- Eliminates unsightly fans and vents.
- Protects roof and shingles from damage due to excessive heat or condensation.
- Installs quickly - grips the roof!
- Passes 110 mph independent wind driven rain test.
- Non Clogging AC132 dust exposure test
- Most economic and efficient way to ventilate your attic.
- Nails included- both hand and power
- Net free area 15.2 sq. in./lineal foot
- Won't deteriorate or corrode from wind, snow, rain or ice.
- Meets attic ventilation requirements for all nationally recognized building codes
- 40-year warranty



Vent must be used on roofs with a minimum 3/12 pitch.


DrySnap® Under Deck Rain Carrying System

See page 61 for product ordering information.

The DrySnap® system is an easy way to create a great outdoor space under residential and light commercial decking.*

Its five components snap together for maximum efficiency and cost savings.

Warning: Barbeque grills, portable propane heaters, fire pits and outdoor fireplaces should not be used under the living space protected by DrySnap®. Heat generated from these devices can damage the DrySnap®.



Step #1

Screw joist brackets with pitch spacers attached into joist. Use #8 zip screws (sold separately) to attach dove-tail connections.



Step #2

Snap starter channel to joist bracket.



Step #3

Snap panels into place and finish with trim cap.



Component Calculations What Do You Need To Buy?

Deck Size			Combo Panel	Starter Channel	Trim Cap	Joist Bracket	Pitch Spacers 32/bag	2.5" Screws 50/packs	3" Screws 50/packs	6 1/2" Gutter Screws & Ferrules, 10/pack	Zip Screws	
Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.					
37324	37325	37320	37321	37331	37341	37351PK	84178PK	84179PK	84181PK	84182		
Pkg. qty 12	Pkg. qty 9	Pkg. qty 12	Pkg. qty 12	Pkg. qty 12	Pkg. qty 36	Pkg. qty 12 bags	Pkg. qty 8/ctn	Pkg. qty 8/ctn	Pkg. qty 12/pack-10/ctn	Pkg. qty 40/pack-25/ctn		
12 ft. Pcs.	16 ft. Pcs.	12 ft. Pcs.	16 ft. Pcs.	12 ft. Pcs.	Pcs.	Bags	Screws	Screws	Gutter Screws	Zip Screws		
10'	10'	100	15	-	1	-	3	36	5	1	1	1
12'	10'	120	18	-	1	-	3	42	5	1	1	2
16'	10'	160	24	-	1	-	4	54	6	1	1	2
20'	10'	200	30	-	1	-	4	66	8	1	1	2
12'	12'	144	18	-	1	-	3	49	7	1	1	2
16'	12'	192	24	-	1	-	4	63	7	1	1	2
20'	12'	240	30	-	1	-	4	77	11	2	2	2
24'	12'	288	36	-	1	-	4	91	13	2	2	3
12'	14'	168	-	19	-	1	4	56	9	1	1	2
16'	14'	224	-	25	-	1	4	72	12	1	1	2
20'	14'	280	-	31	-	1	4	88	14	2	2	3
24'	14'	336	-	37	-	1	5	104	17	2	2	3
12'	16'	192	-	19	-	1	4	63	12	1	1	2
16'	16'	256	-	25	-	1	4	81	15	1	1	3
20'	16'	320	-	31	-	1	5	99	18	2	2	3
24'	16'	384	-	37	-	1	5	117	22	2	2	3

For custom deck sizes, gutter installation guidelines, fan/light installation instructions, go to DrySnap.com.

For caulking seams, we recommend Amerimax FlashMate®.

*Standard code approved decking is less than 30 ft. above ground.

Snow Guard Technical

See pages 66-70 for product ordering information.

THIS DOCUMENT CONTAINS IMPORTANT SAFETY, WARRANTY AND PRODUCT INFORMATION – READ IT CAREFULLY!

RETAIL SNOW GUARD INSTALLATION GUIDELINES

The purpose of a Snow Guard is to help reduce a slide, not stop it. Snow Guards are intended to reduce the potential for snow and ice damage to gutters, foundation plantings, parked vehicles, adjacent roofs and equipment, and injury to pedestrians. Snow Guards are attached to the roof structure in order to uniformly retain and hold snow in place on the roof area. The Snow Guards need to be applied in sufficient quantity and according to a prescribed pattern in order to be effective. Snow Guards are intended to prevent snow movement and provide for the controlled melt and breakdown of the snow mass into smaller sections.

Snow Guard placement will vary from region to region and will be influenced by roof pitch, the lengths of roof runs and roof features. Placement should be determined by a qualified professional. Placement recommendations can be found in Sheet Metal and Air Conditioning Contractor's National Association (SMACNA) Architectural Sheet Metal Manual and other industry standards. The best practice with any installation is to develop a layout aimed at retaining the snow in place rather than trying to stop it at the eaves after it has begun to slide. This principal is particularly important where adhesive mounted devices are to be used. Always consult building codes, architects and/or engineers when roof pitch exceeds 12:12.

A qualified roofing contractor should be employed to install these products. Roofing professionals have the proper equipment, knowledge and ability to complete the task in a safe and satisfactory manner. The installer is responsible for compliance with all governing building and safety regulations. Prior to application, the installer should evaluate all products in order to determine fitness for use.

Positioning of Berger snow guards required for effective use:

The best positioning will vary depending on the particular roof. In general, snow guards should be placed 1 every 40 inches over entire roof or in 2 groups of 3 staggered rows on 30 inch centers with 1 group at the eave and 1 group midway on roof slope. On long slopes, multiple groups with 6 ft. space separation maximum.

- Do not place Snow Guards beyond the bearing wall on an extended roof section. This can result in ice damming and structural damage to the roof.
- Do not use Snow Guards on low-slope roofs (those with pitches less than 3:12). Snow guards help reduce the momentum of a potential snow slide. On low-slope roofs, snow does not typically slide off in the same manner. Under these circumstances, it is often better to allow the snow to naturally clear itself from the roof as quickly as possible or to manually remove it. Therefore, snow guards are not recommended for low-slope roof applications. Check with the roof manufacturer for specific product application limits and, as always, observe all roof safety guidelines.
- Always check metal roofing warranty before mechanically fastening snow guards. Use of mechanically through fastened snow guards on metal roofing may void metal roofing manufacturer's watertight warranty.
- Do not use competing, or dissimilar metals. Galvanic corrosion will occur when dissimilar metals are in contact in the presence of an electrolyte. Water in the form of condensation, rain or snow is an electrolyte. Water that flows over copper becomes electronegative and will cause corrosion of aluminum or steel. Copper, brass or stainless steel fasteners or nails must be used with copper or brass applications. Make sure rivets are solid copper; do not use copper plated steel rivets in copper or brass assembly. Do not use aluminum or galvanized nails to secure any copper products.

Corrosion will be more rapid in the presence of salts such as ocean coastal areas or chlorinated water, acid rain, and polluted industrial atmospheres. Accelerated corrosion will occur when a larger area of an electronegative (cathode/protected) element contacts a small electropositive (anodic/corroded) element.

SAFETY WARNINGS

- Roofing can be hazardous! Professional installation is recommended. Observe and comply with all OSHA and other safety standards and codes that apply to roof safety.
- Always use personal safety equipment and work shoes designed for roof traction when roofing to reduce the likelihood of falling.
- In order to reduce the likelihood of falling, always use roof jacks, work supports or platforms to assure safe footing while working on steep pitched roofs.

To prevent roofing materials from slipping or falling off the roof, always ensure roof material staging devices such as roof jacks, storage platforms and toe boards are securely fastened to the deck substructure.

When working with ladders, always follow the ladder safety standards and regulations, observe the locations of all power lines and take precaution to avoid any contact with the workers or equipment

To avoid exposure to hazardous conditions, do not work on the roof during inclement weather (including but not limited to lightning storms, high winds, rain, ice and snow conditions). To avoid heat injuries, ensure adequate rest breaks and drink plenty of water when working in high temperatures.

Snow Guard Technical

AMERIMAX HOME PRODUCTS, INC.

SNOW GUARD LIMITED ONE YEAR WARRANTY AND LIMITATION OF LIABILITY

Amerimax Home Products, Inc. (hereinafter "AHP" or "Seller") warrants that this product (excluding the adhesives) shall be free from defects in material and workmanship for one (1) year from the date of purchase. Should any of the products prove defective, the obligation of AHP under this warranty shall be limited to replacement of the defective product, or at its option, the cost of the product originally shipped. Replacement of defective product shall not extend the duration of this limited warranty.

CONDITIONS OF THE WARRANTY

NO WARRANTIES, EXPRESS OR IMPLIED, SHALL APPLY IF THIS PRODUCT IS INSTALLED ONTO COMPETING OR DISSIMILAR METALS. Galvanic corrosion will occur when dissimilar metals are in contact in the presence of an electrolyte. Water in the form of condensation, rain or snow is an electrolyte. Water that flows over copper becomes electronegative and will cause corrosion of aluminum or steel.

- Copper, brass or stainless steel fasteners or nails must be used with copper or brass applications. Make sure rivets are solid copper;
- Do not use copper plated steel rivets in copper or brass assembly. Do not use aluminum or galvanized nails to secure any copper products.

Corrosion will be more rapid in the presence of salts such as ocean coastal areas or chlorinated water, acid rain, and polluted industrial atmospheres. Accelerated corrosion will occur when a larger area of an electronegative (cathode/protected) element contacts a small electropositive (anodic/corroded) element.

BUYER'S OBLIGATION

Buyer shall inspect all materials prior to installation so as to mitigate unnecessary expense involved in repairing or replacing defective Snow Guards.

EXCLUSIVE REMEDY

If, upon inspection by the Seller, it is determined to Seller's reasonable satisfaction that the product is defective, Seller shall have the right to either repair or replace the defective product utilizing such normal materials, methods and workmanship as are needed to fulfill the original performance guarantee but without extending the duration thereof. Seller's liability and Buyer's exclusive remedy under this warranty shall be limited to repair or replacement at the Seller's election. IN FULFILLMENT OF ITS GUARANTEE, SELLER SHALL IN NO EVENT BE LIABLE TO INCUR COSTS WHICH EXCEED SELLER'S COST OF THE DEFECTIVE PRODUCT.

BUYER HEREBY WAIVES ALL REMEDIES NOT EXPRESSLY PROVIDED HEREIN INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR INJURY TO PERSON OR PROPERTY AND INCIDENTAL AND CONSEQUENTIAL DAMAGES.

NO WARRANTY OF FITNESS FOR PARTICULAR PURPOSE

Due to differences in roof geometry, structural strength, climatic conditions and snow melt rate, the manufacturer does not warrant the suitability of this product for use on a particular structure.

EXCLUSION OF WARRANTIES

THE LIMITED WARRANTY DESCRIBED HEREIN SHALL BE EXCLUSIVE AND IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE SELLER ALSO DISCLAIMS AND BUYER WAIVES ANY LIABILITY OF SELLER IN TORT, STRICT OR OTHERWISE, OR OTHERWISE IN LAW, FOR DAMAGES, DIRECT, INCIDENTAL OR CONSEQUENTIAL, RESULTING FROM A DEFECT IN DESIGN, MATERIAL, WORKMANSHIP, OR MANUFACTURE, WHETHER OR NOT OCCASIONED BY SELLER'S NEGLIGENCE. BBPI IS IN NO EVENT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER THE CLAIM IS BASED ON WARRANTIES, CONTRACT, NEGLIGENCE OR OTHERWISE.

Seller is also not liable for misapplication or modification of this product or incorrect material or defects that were open and obvious at time of installation. AHP is not liable for any consequential damage, schedule delays, additional labor, and or equipment rental costs as a result of open and obvious defects during installation. All warranty claims are limited to AHP's cost of material of the product determined to have a manufacturing defect.

AHP DOES NOT WARRANT THE ADHESIVE INCLUDED WITH THIS PRODUCT. WITH RESPECT TO THE ADHESIVE, AHP DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The adhesives are solely for the convenience of the user. BBPI DISCLAIMS ANY RESPONSIBILITY FOR DEFECTS OR FAILURE IN THE ADHESIVES AND THE BUYER HEREBY ASSUMES FULL RESPONSIBILITY FOR ITS USE. The adhesive provided is used throughout the industry for adhering snow guards with successful results when utilized in accordance with the adhesive manufacturer's instructions. Use of the adhesive is recommended only when weather conditions permit, and proper curing is possible per the manufacturer's instructions.

Gutter FAQ's

1. WHY DO I NEED GUTTERS?

- Gutters control roof runoff, protecting your home's foundation from erosion damage
- Gutters prevent water damage to exterior walls and basements
- Gutters add value to your home

2. HOW OFTEN SHOULD I CHECK MY GUTTERS?

- You should check your gutters every Spring and Fall for clogs, leaks and gutter pulling away from the house

3. HOW DO I KNOW WHAT I NEED?

- Start with the "Gutter Installation Sheet," available at your local store. It explains:
 1. Gutter System components
 2. How to measure
 3. How to install

4. WHAT ARE EAVESTROUGHS AND LEADERS?

- Other names for gutters and downspout

5. WHAT ARE SEAMLESS GUTTERS?

- Gutters formed at the jobsite from a continuous piece of metal, cut to the required length
- Seamless gutter is the same profile as stick gutter

6. WHAT ARE STICK GUTTERS?

- Pre-formed gutter sections; typically sold in 10' lengths
- May also be available in 16', 21' and longer lengths

7. WHAT IS "K" STYLE?

- Most-common gutter profile; also called "Ogee."
- Half-round profile is also available

8. CAN I MIX METALS (ALUMINUM, STEEL, COPPER) IN MY GUTTER SYSTEM?

- Not recommended. Mixing metals can cause a "galvanic reaction" between the metals, leading to corrosion and premature component failure

9. HOW MUCH PITCH IS REQUIRED FOR GUTTER RUNS?

- Minimum slope of 1/4" for every 10' of gutter

10. HOW MANY DOWNSPOUTS DO I NEED?

- Recommend one downspout per 20' of gutter. Larger roof areas and/or heavy-rainfall areas may require more downspout

11. HOW MANY Downspout BANDS/BRACKETS DO I NEED?

- Two for every 10' of downspout

12. HOW DO I CUT ALUMINUM GUTTERS AND DOWNSPOUTS?

- A hacksaw or tin snips will work very well

13. WHAT'S THE BEST WAY TO HANG GUTTER?

- There are many options. The best one for you depends on where you live and the construction style of your home. Consult an installation professional to determine the best option for you
- The easiest option is to use a hidden hanger with screw. This is an all-in-one hanger that is easily installed, resists loosening over time, provides a hanging solution that is invisible from ground level and is easily maintained

14. DO I NEED CAULK AND HOW MUCH?

- Aluminum gutters require SeamerMate® sealant on all seams. Typical usage is 1/2 oz. per seam
- Vinyl gutter connections are self sealing; they don't require any additional sealant

15. WHAT'S THE DIFFERENCE BETWEEN A & B ELBOWS?

- A (front) elbows direct water forward or back from the gutter outlet
- B (side) elbows direct water left or right from the gutter outlet

16. HOW DO I KEEP MY GUTTERS CLEAN?

- There are lots of easy-to-install options to keep leaves and debris out
- Popular choices include strainers and plastic or metal gutter guards and covers

17. HOW DO I REPAIR LEAKING GUTTERS?

- Start by watching the tutorial video in the "How-To" section of our website AmerimaxHP.com

18. CAN I PAINT MY GUTTERS?

- Both aluminum and steel gutters can be painted. The most important step is to be sure the gutter surface is properly prepared. Use a surface prep solution like Wil-Bond™ to assure proper paint adhesion
- Consult your local painting professional for the right type of paint for your gutter system
- Vinyl gutters should not be painted

19. WHAT'S WARRANTY ON AMERIMAX® GUTTERS?

- See page A12 in the Appendix section of this literature.

20. WHERE CAN I BUY AMERIMAX PRODUCTS?

- Amerimax products are carried in many leading home centers and hardware retailers throughout the United States and Canada

Gutter Glossary

Apron Gutter Gutter with an additional mounting flange angled behind the top back edge of the gutter.

"B" Style Outlet Type of outlet with a narrow-flange top edge. Flat edge for K gutter and radius or curved top to fit the diameter of Half Round Gutter.

Box Gutter In residential applications, same as Yankee-built gutter. In commercial applications, a large gutter with plain vertical angled profile and a box bead front edge.

Clean Out A section of downspout with a door flap and internal strainer that provides access to clean debris from downspout.

Combo Hanger Semi-circle hanger with a riveted mounting plate. Used to hang Half Round Gutter.

Conductor Head Fabricated metal casting or molded box, funnel, or ornate shape with a wide top opening. Used to improve the water flow of gutter systems. Sometimes called a scupper.

Cutoff A downspout diverter where an external lever controls an internal diverter flap. Directs the water equally to both sides or closes one side off.

Diverter Metal or plastic device that changes the flow direction of rain water.

Downspout Vertical tube connected to the gutter or drain outlet. Removes water in a downward flow.

Drop Another term for a gutter outlet tube.

Eavestrough Another term for gutter.

Elbow A short section of downspout that has been bent across the midpoint to form an angle that changes the direction of water flow.

End Cap Component contoured to match gutter shape and close the open end of a gutter.

End Drop A short section of gutter with a preassembled outlet. Typically used to terminate a gutter section. Can also be used to connect long sections of gutter where a midpoint outlet is required.

Extension A short length of downspout that is used to extend the downspout either horizontally or vertically.

Free Floating Term applied to gutter systems designed to support the gutter without limiting the gutter's ability to expand or contract.

Funnel Tapered component that funnels rainwater from two or more higher downspouts into a single lower downspout.

Gutter Formed section of downspout with two angles. Used to get around obstacles such as wall ledges.

Hook Back Formed channel or trough that collects rainwater from a roof section and directs it to a drain.

Half Round Gutter Gutter style that is formed in a semi-circle. Can be Single Bead (SB), Double Bead (DB) or Reversed Bead (RB).

K Style Gutter Gutter style with an Ogee curved face, a box top bead and a stepped face bottom.

Miter Gutter component that forms the corner at wall intersections.

Offset Formed section of downspout with two angles. Used to get around obstacles such as wall ledges.

Ogee A reverse curve shape. Another term for "K" style gutter.

Outlet Shaped round, oval or rectangular gutter component that protrudes from the gutter bottom and connects to the downspout or elbow.

Plug-in Outlet European style hopper outlet used with Half Round Gutter.

Connector Component used to connect two pieces of gutter.

Straight Back A gutter with a straight back vertical form and no open hook edge. It can be plain or have a flat hem.

Tile Adaptor Used to connect downspout into PVC, cast or tile ground drain pipes.


Tube Shaped connector that drains the gutter into an elbow or pipe. See outlet.

Yankee Gutter A gutter that is built into the roof below the roof plane or a gutter that is built on top of a cornice at the eave.

Roof Edge & Trim Styles


See pages 33-48 for product ordering information.

A & B Style



- Used on the rakes of gable roof ends
- Affords neat even finish
- For replacement and new roofs
- Covers and protects exposed wood sheathing edges from moisture deterioration

F Style




- Overhang gives maximum protection from roof run-off
- Directs run-off into gutters
- Used along gutter line of roof edge
- Protects and covers roof edge
- For new construction and reroofs
- Acts as a starter strip for a true edge to align shingles

C Style




- Used along gutter line of roof's edge
- Drip leg extends run-off away from fascia
- Helps direct run-off into gutters
- Covers and protects wood sheathing edges
- Affords neat even finish

Vinyl




- Slotted every 30" for nailing
- Notched for splicing

D & E Style



- Metal edges with a 1" to 3" drop
- Protect exposed wood sheathing edges
- For new construction or reroofs

H Style



- For flat roofs
- Keep gravel from washing off
- Protect wall roof connections
- Gives neat finished appearance

Roof Apron



- Used with or without gutter
- Slips under shingles
- Extended drop with a drip lip for fascia board protection

Window & Door Caps



- Metal edges cap over door and window frames
- Protect against moisture damage

Terms and Conditions

Prices

1. Prices quoted for materials covered hereby are subject to adjustment by Amerimax Home Products, Inc. (hereinafter referred to as "Seller"), at its shipping points, and will be accepted only upon the conditions as shown in the paragraphs hereafter.
2. Price quoted, unless otherwise indicated, do not include sales, excise or other taxes payable on account of this transaction (except income tax) and such taxes now or hereafter levied applicable to this transaction shall be paid by Buyer.
3. All prices will be P.I.E., price in effect at time of shipment.

Product Availability

Certain products listed in this catalog are not offered at all of the Seller's locations. The product offering is subject to discretion of the Seller.

Freight Terms

1. Buyer's orders will be shipped freight collect from Seller's plant location unless orders are in excess of dollar values stipulated by Seller.
2. No freight costs will be paid by Seller for any Buyer's pickups.

Delivery And Shipment

1. Unless otherwise specified upon delivery of materials f.o.b. Seller's plant, all risk of loss, damage and other incidents of ownership shall immediately pass to Buyer. Bill of Lading or carrier delivery receipt must be signed if shipment is damaged or short.
2. Any routing specified by Buyer will be observed, but Seller shall not be liable for freight allowances, if any, other than that of most economical route. Freight allowances will be made in accordance with Seller's current published price list. Seller reserves the right at all times to control routing.

Payment

1. Standard payment terms of sale are Net 30 Days from date of invoice.
2. All invoices will be dated the day of shipment.
3. Remittance Address: Amerimax Home Products Inc., Dept. #3479, PO Box 2153, Birmingham, AL 35287-3479
4. Payment terms begin aging on the invoice date, not the day the invoice is received.

Delays

1. Seller shall not be liable for delay or failure in performance hereof arising from any cause not within Seller's control, including, but not limited to, accidents, breakdowns or mechanical failure of plant machinery or equipment arising from any cause whatsoever, strikes or other labor troubles; labor shortage, fire, flood, war acts of the public enemy, acts of God, priorities, allocations, limitations or other acts required or requested by Federal or local Governments; or failure of usual sources of supply of materials.

Standard Tolerances

Seller will produce and ship this order within Seller's limitations as to size, gauge, temper and quality, in accordance with the Seller's current pricing.

Limited Warranty

1. Seller warrants [to the original consumer purchaser] all materials sold hereunder to be free from defects in materials and workmanship at time of purchase. THIS WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, BY OPERATION OF LAW OR OTHERWISE, INCLUDING ANY WARRANTY THAT MATERIALS ARE SUITABLE FOR BUYER'S REQUIREMENTS OR SPECIAL USE AND THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS OF PURPOSE. SOME STATES DO NOT ALLOW THE ABOVE LIMITATIONS ON THE APPLICABILITY OF AN IMPLIED WARRANTY, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. IN CONSIDERATION OF THIS WARRANTY, IT IS AGREED THAT SELLER SHALL NOT BE LIABLE FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSION OR LIMITATION MAY NOT APPLY TO YOU. This warranty also does not cover, and Seller hereby disclaims all liability for, any product which has been subject to abuse, alteration, modification, neglect, misuse, abnormal use, or to which parts, not supplied by Seller, have been added, or to defects caused by depreciation or normal wear. [This warranty applies only if Seller's materials are installed and maintained according to Seller's recommended practices and installation instructions.] The suitability of a product for an intended use shall be the sole responsibility of the user. Seller's liability shall in no event exceed the purchase price paid for product only. No person has the authority to change these terms and there are no warranties except as stated herein. Any claim on account of defective materials or for any other cause shall be deemed waived by Buyer unless written notice of such claims is received by Seller within sixty (60) days after date of receipt of materials by Buyer. Seller shall be given a reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer or written shipping instructions. Seller shall have the option of replacing or repairing any defective materials, refunding the purchase price, or granting a reasonable allowance on account of such defects, and Seller's liability and Buyer's remedies for defective materials shall be limited solely and exclusively as above. This warranty gives you specific legal rights and you may also have other legal rights which vary from state to state.
2. A 20% handling charge plus incurred freight will be made on all material returned without written authorization by Seller.
3. Some returns may be subject to a 20% restocking fee at the discretion of the Seller.

Aluminum Color Program

Colors	Matches	Product Category		
		TRIM COIL* (see pg 53)	FASCIA/SOFFIT (see pg 57)	DRIP EDGE (see pg 33)
30° Low Gloss White	○	Amerimax/Berger	✓	✓
80° Hi Gloss White	○	Amerimax/Berger		
Antique Ivory	●	Amerimax/Berger	✓	✓
Autumn Yellow	●	CertainTeed	✓	
Barn Red	●	CertainTeed	✓	
Black	●	Amerimax/Berger	✓	✓
Black/Black	●●	Amerimax/Berger	✓	
Black/Royal Brown	●●	Amerimax/Berger	✓	
Bright White/Bright White	○○	Amerimax/Berger	✓	
Brown	●	Amerimax/Berger	✓	✓
Buckskin	●	CertainTeed	✓	
Colonial White/Colonial White	○○	CertainTeed	✓	
Cypress	●	CertainTeed	✓	
AMP Dark Bronze	●	Amerimax/Berger	✓	
Dark Bronze/Sable Brown	●●	Amerimax/Berger	✓	
Desert Tan	●	CertainTeed	✓	
Glacier Blend	●	CertainTeed	✓	
Granite Gray	●	CertainTeed	✓	
Grecian Green	●	Amerimax/Berger	✓	✓
Heritage Cream	●	CertainTeed	✓	✓
Herringbone	●	Amerimax/Berger	✓	
Ivy Green	●	CertainTeed	✓	
Light Maple	●	CertainTeed	✓	✓
Lomar White	○	Amerimax/Berger	✓	
Musket Brown A	●	Alcoa	✓	✓
Musket Brown C	●	CertainTeed	✓	
Natural Clay	●	CertainTeed	✓	✓
Oxford Blue	●	CertainTeed	✓	
Pacific Blue	●	CertainTeed	✓	
Pearl Gray	●	Amerimax/Berger	✓	✓
Pebblestone Clay	●	Alcoa	✓	
Royal Brown	●	Amerimax/Berger	✓	✓
Sable Brown	●	CertainTeed	✓	
Sandstone Beige	●	CertainTeed	✓	
Savannah Wicker	●	CertainTeed	✓	✓
Silver Ash	●	CertainTeed	✓	
Snow White	○	Amerimax/Berger	✓	
Sterling Gray	●	CertainTeed	✓	
Summer Wheat	●	CertainTeed	✓	
Tuxedo Gray	●	Amerimax/Berger	✓	
Woodland Mist	●	CertainTeed	✓	

Actual metal color may be slightly different from what is shown on this page. Metal color Fandecks are available for your review.
 *Backer color on Trim Coil is Lomar White unless otherwise listed. All listed Trim Coil colors available in Smooth and PVC.

Amerimax Home Products reserves the right to add, change, or delete from this color offering at any time.
 Please contact your sales representative or visit our website for the latest updates.

Fascia & Soffit

Trim Coil

Drip Edge



Color Accents

Amerimax Home Products, Inc.

by and



OVER 39 COLOR CHOICES TO MATCH POPULAR SIDING AND WINDOW MANUFACTURERS

- Fascia is available in 6" and 8" profiles. Soffit is available in D6 and T4 profiles (12" width).
- Drip Edge is available in popular C, F, and O profiles.
- Trim Coil colors include matching Finishing Nails.

See facing page (page A13 in the appendix) for detailed offering by category.

■ *ROOF DRAINAGE SYSTEMS*



■ *MOISTURE PROTECTION*

■ *VENTILATION PRODUCTS*



■ *OUTDOOR LIVING PRODUCTS*



■ *SNOW RETENTION SYSTEMS*

Amerimax Home Products, Inc.

Amerimax Home Products, Inc.
450 Richardson Drive • Lancaster, PA 17603

800.347.2586

717.299.3711 phone

717.299.2194 fax

AmerimaxHP.com

Email: info@amerimax.com



a Euramax company

